

- Homework #2 is due at 11:50am this Friday!
- Thursday is last Planetarium observing.
- Solar Observing is happening now! Remember to check webpage. Last day is Thursday.
- Nighttime observing starts next week.

Sept 17, 2003

Astronomy 100 Fall 2003

#### Outline



- Newton's Universal Law of Gravity
- Switch Gears

   Solar System Introduction
- What is Density?

Sept 17, 2003

Astronomy 100 Fall 2003



#### Planet Motion



A constant change of velocity (particularly direction), which means there must be acceleration. The acceleration comes from gravity.





By looking at the motions of the planets, Newton realized that the force is inversely related to the square of the distance.

http://csep10.phys.utk.edu/astr161/lect/history/newtonkepler.html

Sept 17, 2003 Astronomy 100 Fall 2003 From Conceptual Physics

# Universal Gravity



 Any two masses have a gravitational force between them:

$$F = \frac{GM_1M_2}{R^2} \propto \frac{M_1M_2}{R^2}$$

- M<sub>1</sub> and M<sub>2</sub> are the masses
- R is the distance between the 2 masses
- G is the gravitational constant

 $(G = 6.67 \times 10^{-11} \text{ when kg and meters are used})$ 

Sept 17, 2003


## **Cannon Shots**



http://spaceplace.jpl.nasa.gov/orbits1.htm

Kepler's 1<sup>st</sup> Law: Orbits of planets are ellipses with the Sun at one focus





Sept 17, 2003

Astronomy 100 Fall 2003


Sept 17, 2003

Astronomy 100 Fall 2003

## Newton's Ellipses




Actually Newton also found more options that satisfied his universal law of gravity.



# Centripetal Force



Because the planet-Sun line sweeps out equal areas in equal times (Kepler's 2nd Law), it is possible to confirm that the force must be directed toward the Sun from the planet.



Sept 17, 2003

## Kepler's 3<sup>rd</sup> Law:

Ì

The squares of the orbital sidereal periods of the planets about the Sun are proportional to the cubes of the orbital semimajor axes

Planet	P (yr)	a (AU)	<b>P</b> <sup>2</sup>	$a^3$
Mercury	0.24	0.39	0.06	0.06
Venus	0.61	0.72	0.37	0.37
Earth	1.00	1.00	1.00	1.00
Mars	1.88	1.52	3.5	3.5
Jupiter	11.86	5.20	141	141
Saturn	29.46	9.54	868	868

$$P^2 = a^3$$

$$P \times P = a \times a \times a$$
Where P is in years and a is in AU.

Sept 17, 2003

Astronomy 100 Fall 2003

#### Result



- Now we know that the orbiting planets are just perpetually falling bodies. This includes the shuttle, satellites, etc.
- "Weightlessness" is just like falling. There is gravity on the shuttle, but as one is in freefall it is not noticeable.
- Kepler had thought briefly about this, but he decided he needed forces along the direction of the velocity, not perpendicular to it.
- So Newton realized that like an apple falling from a tree or a really big tree, the moon must have a force toward the Earth.
- Newton did not discover gravity, but he realized that it was universal.

#### Newton's Generalization



• Can use the gravitational equation to find that

$$P^2 = \text{constant} \frac{a^3}{M_1 + M_2}$$
 Works for any two objects

- Constant is actually  $4\pi^2/G$
- Kepler's 3<sup>rd</sup> law only works because the mass of the Sun is much larger than the mass of any of the planets

Sept 17, 2003

Astronomy 100 Fall 2003


# Testing: Halley's Comet



Edmund Halley realized that Newton's formulism allowed Kepler's Laws to be applied to Comets too. Realized that one comet was in the sky every 76 years and predicted its return in 1758.



http://seds.lpl.arizona.edu/nineplanets/nine



http://www.getty.edu/artsednet/resources/Space/Stories/ allevs.html

## Testing: Uranus and Neptune



• Uranus was discovered as the 8<sup>th</sup> planet in 1781 by accident.

• The FIRST planet discovered since ancient times!

 Galileo almost discovered it in 1613.



http://wmatem.eis.uva.es/~marsan/discover/plan-sat/


Sept 17, 2003

Astronomy 100 Fall 2003

## Testing: Uranus Orbit



- Observations showed that it was not orbiting the way Newton predicted— off in position by 1 to 2 arcminutes.
- Either Newton's formulism was wrong, or there was something else out there.
- Using Newton's Laws, 2 scientists derived that there must be another undiscovered planet that was causing the perturbation in the orbit of Uranus.
- They predicted a new planet to within 1 degree of where it was found in 1846.



http://seds.lpl.arizona.edu/nineplanets/nineplanets/neptune.ht ml

Sept 17, 2003

Astronomy 100 Fall 2003

## Testing: Uranus and Neptune



- The first object that was really discovered with pencil and paper and not direct observation.
- Newton's theory can predict observations!!!
- Science can move from empirical concepts.
- Now, we can make concrete predictions.




http://seds.lpl.arizona.edu/nineplanets/nineplanets/neptune.html

## Example–Binary Stars



The most famous visual binary star pair is Mizar-Alcor in the Big Dipper. It is a good test of eyesight if you can see the two stars—separation of 12 arcminutes. But they are not really related.



http://www.astropix.com/HTML/C\_SPRING/BIGDIP.HTM

Astronomy 100 Fall 2003


Sept 17, 2003

## Example—Binary Stars



Mizar itself (88 light year distance) has been known to be a true binary star—the first binary star pair to be determined by telescope (340 AU separation). But each of those are also binaries. Mizar A has a separation of 0.2 AU!!!

Sept 17, 2003



## Example: Globular Cluster



47 Tucanae in Southern Skies. The 2<sup>nd</sup> brightest cluster in our sky. 20000 light years distance. Newton's laws still hold, but we not sure why the dynamics in the center produces so few binary systems.



Sept 17, 2003

Astronomy 100 Fall 2003

# **Escape Velocity**



We talked about the horizontally aimed cannon, but if we fired it vertically, what velocity do we have to fire it so that it doesn't fall back down?

At some velocity the cannonball outruns gravity's pull. That number is 11.2 km/s or 25,000 m/hr.




http://vesuvius.jsc.nasa.gov/er/seh/earlysf.html

## Next Step



We have learned about the general night sky and the generalization of gravity and the orbits of the planets, shuttles, satellites, moons, etc. We can take the next step in the big picture, moving slightly out to the Solar System, as we understand it today.

We'll be coming back to Ch 3,4. Don't panic.



The Solar System



• What do we want to learn about the Solar System? What questions are there?

- Did the Solar System form all at once?
- Is our Solar System special?
- What clues do today's observations tell us about the formation?
- How has it changed since it was formed?


Sept 17, 2003

Astronomy 100 Fall 2003

## Question of Scale



• Images of all planets (from space missions), with the correct scaling.




http://www.jpl.nasa.gov/galileo/sepo/education/nav/ss2.gif

# Perspective of Scale



Images from Voyager– 4 billion miles out.




http://seds.lpl.arizona.edu/nineplanets/nineplanets/overvi w html

Sept 17, 2003

#### **Mnemonics**



- Mary Vincent Eats Many Jelly Sandwiches Under Neighbor's Porches
- My very easy method, just set up nine planets.



# Distribution of Mass in Solar System



- Sun has 99.85% of the total mass
- The planets have about 0.135% of the mass
- Jupiter more than twice the mass of all of the other planets combined! Or 318 times the Earth.
- Moons of the planets, comets, asteroids, meteoroids, and the interplanetary medium constitute the remaining 0.015%.

Sept 17, 2003

Astronomy 100 Fall 2003

#### Planets Dance



## Question



All of the planets, asteroids, and comets, are orbiting counter-clockwise. What is a possible explanation of that data?

Sept 17, 2003 Astronomy 100 Fall 2003 Sept 17, 2003 Astronomy 100 Fall 2003

## Facts of the Solar System




- Mass of solar system: yes, mostly in the sun, but outer planets more massive than inner
- Orbital motions in solar system are counter clockwise in a flattened system (disk)
- Orbits are actually close to circles, except Mercury and Pluto
- Chemical analysis of meteorites shows condensation sequence—variation of composition with distance from Sun


Sept 17, 2003

Astronomy 100 Fall 2003

## **Orbital Motions**









## What is Density?



$$Density = \frac{Mass}{Volume}$$






- If each ball weighed the same, which box would weigh more?
- Density of Water is 1 g/cm<sup>3</sup>, density of steel is 7.85 g/cm<sup>3</sup>, density of cork is 0.2 g/cm<sup>3</sup>.

Sept 17, 2003 Astronomy 100 Fall 2003 Sept 17, 2003 Astronomy 100 Fall 2003 http://www.nyu.edu/pages/mathmol/textbook/density.html

## What's this Picture of?






Sept 17, 2003

Astronomy 100 Fall 2003

http://www.whfreeman.com/discovering/DTU/EXMOD36/F3 609.HTM

## Inner Planets: Mercury

- · Closest planet to Sun-0.38 AU.
- Similar to Moonsmaller than Ganymede or Titan.
- Reaches its greatest angular separation from the Sun on Sept. 27th (rises 1 hr 20 mins before the Sun) easily visible at pre-dawn sky. Look for it below Jupiter.



Sept 17, 2003

Astronomy 100 Fall 2003

#### Inner Planets: Venus



- Similar in size and mass to Earth.
- Thick clouds make it the hottest planet.
- Often called the morning star or the evening star. 3<sup>rd</sup> brightest object in the sky.


Sept 17, 2003



http://antwrp.gsfc.nasa.gov/apod/ap960923.html

# Inner Planets: Surface of Venus






Astronomy 100 Fall 2003

http://nssdc.gsfc.nasa.gov/photo\_gallery/photogallery

# Inner Planets: Earth as a Planet









http://pds.jpl.nasa.gov/planets/choices/earth1.htm

## Inner Planets: Mars



- Only planet whose surface features can be seen from Earth-based telescopes.
- Some surface features seen from spacecraft indicate that there was once flowing water on Mars.




Sept 17, 2003

Sept 17, 2003

Astronomy 100 Fall 2003


## Mars: Surface





# Mars: Surface– Evidence for Water





http://antwrp.gsfc.nasa.gov/apod/image/0006/marsnewton mgs Astronomy 100 Fall 2003

## Mars: Olympus Mons



• The largest mountain in the Solar System rising 24 km (78,000 ft.).



• Its base is more than 500 km in diameter and is rimmed by a cliff 6 km (20,000 ft) high (right).

Sept 17, 2003


Astronomy 100 Fall 2003

http://hyperphysics.phy-astr.gsu.edu/hbase/solar/marsoly.htm

#### Junk? Asteroids-- Eros



- Between Mars and Jupiter, there are millions of asteroids ranging in size from dust to 900 km in size.
- Eros is actually labeled a near-Earth asteroid, as its orbit brings it close to Earth.
   33 x 13 x 13 km in size.
- Semimajor Axis: 1.458 AU



Sept 17, 2003

Astronomy 100 Fall 2003

http://near.jhuapl.edu/iod/20000222/index.html

# Jupiter-Big Boy



- By far the largest and most massive planet.
- No solid surface. The gas just gets denser as we get deeper.
- 90% Hydrogen and 10% Helium with traces—like the early solar system.
- Has 61 known moons.



http://www.ast.cam.ac.uk/hubblepics/

# Jupiter



http://www.solarviews.com/raw/jup/vjupitr5.mpg

http://www.solarviews.com/raw/jup/vjupitr2.mov

#### Outer Planets: Saturn

Ì

- The Lord of the Ring
- Ring has gaps

Sept 17, 2003


- Only planet less dense than water
- Broad atmosphere banding is similar to Jupiter
- http://www.solarviews.com/r aw/sat/vsaturn1.mpg
- http://www.solarviews.com/r aw/sat/spoke.mov



http://www.solarviews.com/cap/sat/saturn.htm

## Outer Planets: Uranus





Sept 17, 2003

Astronomy 100 Fall 2003


http://www.solarviews.com/eng/uranus.htm

## Outer Planets: Neptune

Astronomy 100 Fall 2003



- Outermost Gas Giant
- Methane gives it the blue color
- Has the fastest record wind speed of 2000 km/hr.
- Also has a faint ring system
- Seasons last 40 years!



Outer Planets: Neptune



http://www.solarviews.com/raw/nep/vneptune.mov

http://www.solarviews.com/cap/nep/neptunes.htm

Sept 17, 2003


Astronomy 100 Fall 2003

Sept 17, 2003

## Pluto

- Ì
- Discovered in 1930 by telescope in AZ.

  BREAKTHROUGH 1978: CHARON (Christy and Harrington)
- A blob was noticed in 1978 that circled Pluto every 6 days. It proved that Pluto had a moon named Charon.



Sept 17, 2003

Astronomy 100 Fall 2003

http://www.solarviews.com/cap/pluto/hstpluto.htm

#### Pluto



- The only planet not yet visited by a
  - spacecraft
- Has tilted and very eccentric orbit
- Moon Charon and Pluto always face each other



- Gravity pull is only 8% of Earth's.
- Smallest Planet? Or not?

Sept 17, 2003

Astronomy 100 Fall 2003

http://www.solarviews.com/cap/pluto/hstpluto.htm

#### Pluto



http://www.solarviews.com/raw/pluto/vpluchar.mpg