Astronomy 230



" Continue the examination, we must discover the secret of it's ability to fly. "

Music: Bring me to Life – Evanescence Sept 28, 2006 Astronomy 230 Fall 2006

omy 230 Fall 2006

HW #3

- Fred Knecht: http://www.krysstal.com/extrlife.html
- William Kormos: http://www.geocities.com/alienaxioms/index.html/
- Heath Murra: http://www.xenophilia.com/zb0015.htm
- Kevin Quinn: http://www.alien-ufo-pictures.com



This class (Lecture 11):

Origins of Life Bryan White & Joseph Coletta

Next Class:

Life Alternatives Chris Johnson & Sandor Van Wassenhove

HW 4 is due

Oct 5: Heath Murra &

Ryan Peterson

Ì

Paper Rough Draft



- Worth 5% of your grade.
- First presenters should be writing now!
- Should include most of the details of the final paper.
- Will be looking for scope, ease-of-read, scientific reasoning, proper citation, and general style.
- 8 to 10 pages double-spaced 12-point font, not including references.
- See syllabus for citation style!!!!!

Sept 28, 2006

Astronomy 230 Fall 2006

Presentations

Ì

- Bryan White: Future Possible Forms of Travel
- Joseph Coletta: Aliens in Literature

Outline

- The beginning of life.
- The Miller-Urey experiment
- The hot origins theory
- Synthesis of Polymers
- Transition to Life
- The RNA World: Protolife

Astronomy 230 Fall 2006

Miller and Urey Experiment

- In 1953, Miller and Urey (UC) tried to duplicate conditions that they believed existed on the Early Earth– a heavily reducing atmosphere.
- They Mixed CH₄, H₂, and NH₃ gases in a flask for the atmosphere, and connected that to a flask with water for the oceans. A spark was used in the atmosphere flask to simulate lightning.
- They found interesting organic molecules in the "ocean".



Drake Equation Frank That's 2.7 Life-liking systems/year Drake $N = R_* \times f_p \times n_e \times f_I \times f_i \times f_c \times L$ # of # of Star Fraction Fraction Earthlike Lifetime of advanced Fraction Fraction formation of stars that civilizations planets on which that evolve advanced rate with communwe can life arises intelligence civilizations per planets icate contact in system our Galaxy today yrs/ 15 0.5 2.7 **x** 0.134 life/ intel / comm./ = 0.36intel. life comm. planet systems/ stars/ planets/ star vr system Sept 28, 2006

Miller and Urey Experiment

- 4 amino acids were made: glycine, alanine, aspartic acid, and glutamic acid. Also some nucleotide bases and acetic acid.
- It has been shown that <u>ALL</u> 20 amino acids needed for life can form in this way.
- <u>http://www.ucsd.tv/miller-urey/</u>
- Does not produce directly all monomers of nucleic acids, but intermediates were produced.



http://physicalsciences.ucsd.edu/news_articles/miller-ureyresurrected051903.htm

Miller and Urey Experiment	Early Monomers
	• The Miller-Urey experiment legitimized the scientific study of life. The production of amino acids under the presumed conditions of the early Earth was exciting.
	 But the assumptions of the experiment have been questioned. Early notions of methane-rich reducing atmosphere are wrong; Earth's early atmosphere was more likely CO₂, N₂, and H₂O vapor. We still don't know early atmospheric composition well enough to make stronger case We still don't know how this leads to DNA, the basis of all terrestrial life
http://www.ucsd.tv/miller-urey	• Recently, a group in Japan has showed that with enough energy, you can still get significant yields of amino acids in a mildly reducing environment.
Sept 28, 2006 Astronomy 230 Fall 2006	Astronomy 230 Fall 2006
Early Monomers	Other places
• We do not have a detailed theory of how all the monomers arose on the early Earth.	• Maybe if we require (still not sure) a strongly reducing environment, we have to look elsewhere.

- General conclusion is that many of the monomers needed for life can be produced in a strongly reducing atmosphere, but that different environments are needed to get specific monomers.
- Don't forget that after the monomers are formed they MUST come together to form the polymers of life.

- - Area around undersea hot vents, some of which have CH₄, NH₃ and other energy-rich molecules like hydrogen sulfide.
 - Interstellar space.







http://www.noaanews.noaa.gov/magazine/stories/mag114.htm

http://www.chl.chalmers.se/~numa/photo/keyhole-small.jpg

Sept 28, 2006



The Underwater Vents



- Miles below the ocean surface, life lives on the edge! Places were sunlight never reaches.
- From regions of volcanic spreading of the floor, hydrothermal vents or black smokers, underwater geysers, spew mineral-rich superheated water.
- No plant life, but life thrives. So what does life live on? ٠





Sept 28, 2006

The Hot Origins Theory

Astronomy 230 Fall 2006



- Vents are examples of a food chain that does not rely ultimately on photosynthesis.
- Demonstrates that pre-biotic synthesis can occur, but did life begin there?
- And current vents are short-lived- a few decades.
- And hot– if synthesis first • occurred there, it might have been quickly destroyed.





http://www.xenon.com/vents.html

The Underwater Vents

- Chemical reactions or chemosynthesis to produce food instead of the Sun.
- Some life is bacteria, some • eat the bacteria, some eat those that eat the bacteria, and some have bacteria inside them in a symbiotic relationship.

Sept 28, 2006

Sept 28, 2006

Astronomy 230 Fall 2006







Astronomy 230 Fall 2006

The Hot Origins Theory



- And hot- if synthesis first occurred there, it might have been quickly destroyed.
- But live is common in hot environments
 - Hot Springs (like in Yellowstone)
 - Hot oil reservoirs up to 2 miles underground.
- Many of those organism display old genetic characteristics, but some say not ancient enough.
- Did life start somewhere cushy and move there?







Interstellar Space

- Another reducing atmosphere is space and the circumstellar disk from which our solar system formed.
- We have seen complex molecules in space.
- The ices would have been destroyed this close to the Sun, but farther out would have been fine.
- Comets could transport the molecular binding dust grains back to the Earth.



http://stardust.jpl.nasa.gov/science/images/pach7.jpg

Comets

- Have similarities to interstellar ices
- Comets hit the Earth, and did so much more often in the past.
- About 5% of comets are carbonaceous chondrites, which contain about 1-2% of their mass in organic compounds, including amino acids of nonbiological origins (e.g. the Murchison meteorite).
- Can life get transported?
- Panspermia again.

Sept 28, 2006

Sept 28, 2006



Astronomy 230 Fall 2006

http://stardust.jpl.nasa.gov/science/images/num2.jpg

Ì

- If we assume that the early monomers for proteins and nucleic acids existed on the early Earth, then is it plausible that they would polymerize?
- The standard idea of the prebiotic soup would suggest that it is easy to form polymers, but not so fast.
- The problem is that the separate monomers are a lower energy state. They like to be separate.
- It's an uphill battle for the early monomers to turn into polymers.



ionomers to turn ii



Astronomy 230 Fall 2006

So?

- We don't know the origin of the monomers that are needed for life.
- But, there are a variety of processes that could produce them.
 - In Earth's early atmosphere
 - Near hydrothermal vents
 - In interstellar space
- The next step is polymerization







Synthesis of Polymers



Polymer Pressure

- Hmm.. Does this mean that the key polymers that keep us alive are intrinsically unstable?
- Yes. Sort of kinda.
- But, we are constantly inputting energy into the system– our body. Some better food than others.
- A simple pattern: simple components + energy leads to greater complexity
- But for early life, the problem was for polymers to stay together.
- Even water helped pull them apart.



http://www.thanhniennews.com/society/?catid=3&newsid=6557

Making Them Hook Up.



- One idea is for the early soup to quickly evaporate into a condensed soup— so the monomers can join up.
- Another idea, is to find an energy producing reaction that promotes polymerization.
 - Energy currency in life now is ATP (adenosine triphosphate), which is an adenine base, a ribose sugar, and a tail of 3 phosphates. The phosphates bonds are broken to provide energy and allow bonding.



 Too complicated for early life, but there are other similar molecules that could do a similar job. Maybe produced in a Miller-Urey procedure?

http://www.physics.uc.edu/~hanson/ASTRO/ LECTURENOTES/ET/Earth2/PrimordialSou p2.jpg

SOUP

Sept 28, 2006

Astronomy 230 Fall 2006



Sept 28, 2006

Hooking up Dirty?

Astronomy 230 Fall 2006

Astronomy 230 Fall 2006

- Polymerization in clay soils?
- Clay has layers of silicates and water.
- Add water, the layers expand and amino acids can move between layers.
- Remove water, the layers contract and the amino acids get absorbed onto the clay surfaces.



Totally Tidal

- Experiments have shown that certain clays, promote polymerization of 50 or more amino acids chains with high efficiency.
- Add water, and the polymers are released.
- Think of the ocean tides fueling the polymerization.



Sept 28, 2006

So... And RNA/DNA?

- There are a few ways that amino acids can hookup and form polymers, but nucleic acids are more difficult to understand as they are more complex.
- What is the basic monomer of RNA or DNA?
- Remember the building blocks are:
- Sugars - Phosphates - Bases • So, one of each is a nucleotide Astronomy 230 Fall 2006 Sept 28, 2006 **Phosphate Issues**
- To make a nucleotide, the phosphates must then attach at the 3 and 5 carbons.
- In the lab, the phosphates tend to attach to the 2 and 5 carbons.
- This causes a misalignment, which prevents long stands.





Nucleoside Synthesis



Adenine

- Not well understood.
- Can number the carbon atoms in the ribose sugar.
- It is essential that the base attach at the number 1 carbon only. Otherwise, it is not a nucleoside.
- The base can attach at the 2 H or 3 carbon.
- Why was bond 1 preferred on the early Earth?

Sept 28, 2006

Astronomy 230 Fall 2006

Ribose

sugar

Nucleotide Synthesis



- Nucleotide synthesis is not very efficient
- Heating ribose sugar with some purine bases can produce a few nucleotides, and salt can produce a better yield.
- So, again, maybe an evaporating pool with geothermal energy.
- But nucleotides with pyrimidine bases are more difficult.
- Some have argued for catalyst with metal ions can work.
- So, some ionized metals in the pool too?



http://www.themonkees.com/quizzes18.htm

Astronomy 230 Fall 2006

Sept 28, 2006

Astronomy 230 Fall 2006

Adenine + Ribose Sugar \rightarrow Adenosine + H₂O

Protein Probability

- Seems easiest to produce a protein, so what is the chance of getting a useful protein with the proper order of amino acids from chance?
- Toss of a coin. 50/50 (or ¹/₂) chance of heads or tails.
 - If you want 10 heads in a role you can multiple the chance of
 1 throw (¹/₂) times 1 throw (¹/₂) times...etc. or (¹/₂)¹⁰ or 1 time out of 1024 attempts.



http://cruel.org/kitchen/shrunken.html

Astronomy 230 Fall 2006



Getting Lucky?



- If we throw enough coins, we <u>will</u> get 10 heads in a row.
- And if there were very large numbers of monomers, then even a very unlikely event can happen.
- Perhaps <u>time</u> is the hero of the story?
- But, don't forget a typical protein can have easily more than 200 amino acids. That is a chance of success of (1/20)²⁰⁰!



Probability of Randomly Forming Life?



- The polymer game is more complex with 20 options of amino acids so if random, the chance of getting a single amino acid is 1/20.
- For a protein with a specific 10 amino acids in order.
 - (1/20)¹⁰ or about 1/10¹³ or 1 chance in 10 trillion!!!!



http://www.citypaper.net/hth/

Latest studies: A third of Americans are overweight, and an additional quarter are obese.

Sept 28, 2006



Pessimistic?

Astronomy 230 Fall 2006

- A generous estimate of the number of trials that the early Earth had was about 10⁵¹.
- But, maybe the early Earth only had a few amino acids at first. Then the odds are better for certain proteins.
- But, we require more than just 1 protein to be formed.
- And first life probably needed many proteins as well.



http://www.physics.brown.edu/Studies/Demo/solids/demos/1a2020.jpg

Pessimist?

- Bottom line is that we can not expect life to arise from completely random combinations of molecules to make more complicated molecules.
- Something else must play a role.
- Some proteins might have a preferred assembly.



Sept 28, 2006

Life – Gen Eds



- 1. Precise way to reproduce instruction set (but not perfect)
- 2. Ability to control chemical reactions via catalysts.
- 3. A protective enclosure that separates the instructions and the catalysts from the environment. Becomes an individual not just a soup of chemicals
- 4. Method for acquiring and using energy.
- 5. Interconnections of the above.

Poly Summary

- Ì
- Polymerization of amino acids on the early Earth is plausible.
- Synthesis of nucleic acids seems to be much harder.
- Perhaps proteins from amino acid polymers played a role? Chicken came first?
- It is still more difficult, because life requires useful polymers. The order of the monomers determines the properties.

Sept 28, 2006

Astronomy 230 Fall 2006

Transition to Life?

- Really the big question.
- How difficult is it for the collection of polymers to become life?
- The last step in chemical evolution is really biological evolution.

Life

• Life is based on cells

Sept 28, 2006

- Protective enclosures formed from lipids
- Cells contain nucleic acids and protein enzymes
 - Instructions and catalysts that allow replication of nucleic acids
- Methods for acquiring energy
 - Most organism now on Earth get energy from the Sun– either directly or indirectly. But that requires pigments (e.g. chlorophyll).
 - Not sure if pigments are a primary need or if chemical sources of energy were used for early life.

Astronomy 230 Fall 2006

http://www.internetcash.com/en/imag es/baby-crying.jpg

Cryptoendoliths



Not your Parent's ET--Extremophiles

- These are microbes that live in the most extreme places on Earth.
- Temperature extremes
 - boiling or freezing, 100°C to -1°C (212F to 30F)
- Chemical extremes
 - vinegar or ammonia (<5 pH or >9 pH)
 - highly salty, up to ten times sea water
- They are exciting, as they are the most likely candidate for extraterrestrial life.
- Probably dominated life on early Earth until fairly recently.

Sept 28, 2006

Astronomy 230 Fall 2006

Transition to Life

• <u>Two possibilities</u>

- Primitive versions of proteins, nucleic acids, and protocells arose independently and combined to form a life form.
- One of the components was dominant and the first "life" was based on only one polymer, then developed into life as we know it. We can call it protolife.
- The statistical arguments would argue <u>against</u> primitive life and <u>for</u> protolife.



http://www.lbl.gov/Science-Articles/Archive/sb/July-2004/2_spinach.html

Astronomy 230 Fall 2006







Thermophilic bacteria Astronomy

Astronomy 230 Fall 2006

Sept 28, 2006

Protolife



- If we assume that early life must have been protolife, then
 - Two protolife concepts based on <u>nucleic acids</u> or <u>proteins</u>.
 - 1. Protein life
 - 2. RNA life



http://www.perantivirus.com/so svirus/graficos/bilgates.jpg

1. Protein Protolife



- Sydney Fox heated amino acids, droplets of protein formed when added to water- "proteinoids"
- Could have formed on the early Earth with tides.
- Sometimes they will grow and break into daughter spheres
- It is like cell reproduction, BUT there is no replication of nucleic acids ,so not true reproduction.
- Nonetheless, they might be suitable for protocells.



Sept 28, 2006

http://www.biology.iupui.edu/biocourses/N100H/ch19life.html

Sept 28, 2006

Astronomy 230 Fall 2006

1. Protocells



- If so, how do nucleic acids come into play?
- Perhaps one proteinoid developed the capability to make its own protein from amino acids, then passed that on to its "offspring".
- Then, nucleic acids might have been used to store the amino acid information.
- And only later took over- revolt of the bookkeepers!
- Most biologist do not like the idea, as life without nucleic acid is hard to accept.



http://vcl.ctrl-c.liu.se/vcl/Artists/Juan-Crespo/Sydney-Fox-Lz.jpg

2. The RNA World: Protolife

Astronomy 230 Fall 2006

- The other camp believes that the transition to life was dominated by nucleic acids; the opposite problems of the Sydney Fox scenario.
- These genes are naked!
- A ecosystem of self-replicating RNA is nice, but without capability for protein synthesis, they could do little else.
- However, it's the most widely accepted concept due to numerous experiments.



http://www.bizspacebiotechnology .com/rna1.htm

2. RNA World



- The idea is that RNA is mutating away– eventually one RNA develops an enzyme function.
- This evolves to fill many of the niches that today's enzymes perform.
- At some point, the RNA encode and produce proteins through amino acid encoding, using one of the RNA enzyme functions.
- This would make better enzymes that would replace the RNA versions.
- Is this possible?

2. RNA World: Experiments

- Virus RNA is added to a test tube with replicase (an enzyme that catalyzes the synthesis of a complementary RNA molecule from an RNA template) and some activated nucleosides.
- The RNA was replicated without cell mechanisms.
- In one experiment, no RNA was added, and still RNA was produced.
- In fact, a number of variants were produced.
- The variant that replicated the fastest might win out.

Sept 28, 2006

Astronomy 230 Fall 2006

Sept 28, 2006

Astronomy 230 Fall 2006

Genetic Code and Origin of Translation

- One of the essential aspects of life is the synergistic interaction between proteins and nucleic acids. Still the Chicken and egg problem.
- If protein-like polymers of amino acids formed, they would have to polymerize (create) the nucleotides.
 - The resulting nucleic acid would have to direct the synthesis of more protein, leading to more of the nucleic acid. Etc.
- Or in some RNA world ribozymes (RNA enzymes) began to construct the proteins- the favored view.

Neither Chicken nor Egg?



- While RNA world is favored, the difficulty is still in producing the nucleic acids on the early Earth.
- Freeman Dyson had argued that nucleic acid can not have been the first information carrying molecule.



Neither Chicken nor Egg?

Astronomy 230 Fall 2006

- Transition between living and non-living requires a balance between orderpreserving replication and error in replication.
- If too precise, nothing evolves.
- If too many errors, nothing consistent forms.
- He argues that RNA is not the easiest to start with, perhaps there were other polymers that preceded nucleic acids.



Ì

http://www.dartmouth.edu/~lhc/archive/sponsored/dyson.html

Sept 28, 2006