

Astronomy 230

Section 1— MWF 1400-1450
106 B1 Eng Hall



This Class (Lecture 18):

Origin of Life— Part 2

HW#4 Due on Oct 11th

Next Class:

Alternatives

Midterm On Oct 15th!

Music: *We Are Made of Stars* – Moby

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Outline



- Origin of life?
- Early monomers
 - Formed in the atmosphere?
 - Around hydrothermal vents?
 - In space?
- Early polymers ?
- Early Nucleic acids ??

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Life



- The most crucial monomers required for life are:
 - Amino acids (20 flavors) for **proteins**
 - The nucleotides: sugar, phosphates, and nitrogenous bases for **DNA/RNA**.
- How did they occur in a useful configuration so **fast** on the early Earth?
 - Remember the early Earth is not a fun place.
 - Poisonous gas atmosphere, hot, lots of meteorites, and cable TV is still 3.8 billion years away.

Oct 6, 2004



Astronomy 230 Fall 2004

L.W. Looney

Chemical Evolution



- Chemical basis of life obviously crucial.
- Apparently evolution of life is a continuation of tendencies toward greater complexity
- Chemical evolution has 3 steps:
 - Synthesis of monomers
 - Synthesis of polymers from the monomers
 - Transition to life.



Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Synthesis of Monomers



- Life arose under the following conditions
 - Liquid water
 - Some dry land
 - A neutral or slightly reducing atmosphere (This is somewhat new). Remember no OXYGEN— mostly methane and CO₂.
 - Energy sources, including UV light, lightning, geothermal.



<http://origins.jpl.nasa.gov/habitable-planets/images/ra6-early-earth-th.jpg>


Oct 6, 2004

Astronomy 230 Fall 2004

Miller and Urey Experiment



- In 1953, Miller and Urey (UC) tried to duplicate conditions that they believed existed on the Early Earth— a heavily reducing atmosphere.
- They Mixed CH₄, H₂, and NH₃ gases in a flask for the atmosphere, and connected that to a flask with water for the oceans. A spark was used in the atmosphere flask to simulate lightning.
- They found interesting organic molecules in the “ocean”.



Oct 6, 2004

Astronomy 230 Fall 2004

<http://www.vobs.at/bio/evol/e05-millerurey.htm>

Miller and Urey Experiment



- 4 amino acids were made: glycine, alanine, aspartic acid, and glutamic acid. Also some nucleotide bases and acetic acid.
- It has been shown that ALL 20 amino acids needed for life can form in this way.
- <http://www.ucsd.tv/miller-urey/>
- Does not produce directly all monomers of nucleic acids, but intermediates were produced.



http://physicalsciences.ucsd.edu/news_articles/miller-urey-resurrected051903.htm

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Early Monomers



- We do not have a detailed theory of how all the monomers arose on the early Earth.
- General conclusion is that many of the monomers needed for life can be produced in a strongly reducing atmosphere, but that different environments are needed to get specific monomers.
- Don't forget that after the monomers are formed they **MUST** come together to form the polymers of life.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Early Monomers



- Still, the Miller-Urey experiment legitimized the scientific study of life. The production of amino acids under the presumed conditions of the early Earth was exciting.
- But the assumptions of the experiment have been questioned.
 - Early notions of methane-rich reducing atmosphere are wrong
 - We still don't know early atmospheric composition well enough to make stronger case
 - We still don't know how this leads to DNA, the basis of all terrestrial life
- Recently, a group in Japan has showed that with enough energy, you can still get significant yields of amino acids in a mildly reducing environment.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Other places



- Maybe if we require (still not sure) a strongly reducing environment, we have to look elsewhere.
 - Area around undersea hot vents, some of which have CH_4 , NH_3 , and other energy-rich molecules like hydrogen sulfide.
 - Interstellar space.

<http://www.noaa.gov/magazine/stories/mag114.htm>

<http://www.chl.chalmers.se/~numa/photo/keyhole-small.jpg>



Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

The Underwater Vents



- Miles below the ocean surface, life lives on the edge! Places where sunlight never reaches.
- From regions of volcanic spreading of the floor, hydrothermal vents or **black smokers**, underwater geysers, spew mineral-rich superheated water.
- No plant life, but life **thrives**. So what does life live on?
- Chemical reactions or chemosynthesis to produce food instead of the Sun.
- Some life is bacteria, some eat the bacteria, some eat those that eat the bacteria, and some have bacteria inside them in a symbiotic relationship.



Oct 6, 2004

Astronomy 230 Fall 2004

The Hot Origins Theory



- Vents are rare examples of a food chain that does not rely ultimately on photosynthesis.
- Demonstrates that pre-biotic synthesis can occur, but did life begin there?
- And current vents are short-lived– a few decades.
- And hot– if synthesis first occurred there, it might have been quickly destroyed.
- But life is common in hot environments
 - Hot Springs (like in Yellowstone)
 - Hot oil reservoirs up to 2 miles underground.
- Many of those organisms display old genetic characteristics, but some say not ancient enough.
- Did life start somewhere else and move there?



Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Interstellar Space



- Another reducing atmosphere is space and the circumstellar disk from which our solar system formed.
- We have seen complex molecules in space.
- The ices would have been destroyed this close to the Sun, but farther out would have been fine.
- Comets could transport the molecular binding dust grains back to the Earth.



<http://stardust.jpl.nasa.gov/science/images/pach7.jpg>

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Comets



- Have similarities to interstellar ices
- Comets hit the Earth, and did so much more often in the past.
- About 5% of comets are carbonaceous chondrites, which contain about 1-2% of their mass in organic compounds, including amino acids of non-biological origins (e.g. the Murchison meteorite).
- Can life get transported?
- Panspermia again.



<http://stardust.jpl.nasa.gov/science/images/num2.jpg>

Oct 6, 2004

Astronomy 230 Fall 2004

So?



- We don't know the origin of the monomers that are needed for life.
- But, there are a variety of processes that could produce them.
 - In Earth's early atmosphere
 - Near hydrothermal vents
 - In interstellar space
- The next step is polymerization



<http://origins.jpl.nasa.gov/habitable-planets/images/ra6-early-earth-th.jpg>



Oct 6, 2004

L.W. Looney

Synthesis of Polymers



- If we assume that the early monomers for proteins and nucleic acids existed on the early Earth, then is it plausible that they would polymerize?
- The standard idea of the prebiotic soup would suggest that it is easy to form polymers, but not so fast.
- The problem is that the separate monomers are a lower energy state. They like to be separate.
- It's an uphill battle for the early monomers to turn into polymers.



<http://www.heartson3.com/Images%202000/Uphill.jpg>

Oct 6, 2004

Astronomy 230 Fall 2004

Polymer Pressure



- Hmm.. Does this mean that the key polymers that keep us alive are intrinsically unstable?
- Yes. Sort of kinda.
- But, we are constantly inputting energy into the system– our body. Some better food than others.
- A simple pattern: simple components + energy leads to greater complexity
- But for early life, the problem was for polymers to stay together.
- Even water helped pull them apart.

Oct 6, 2004


Astronomy 230 Fall 2004

L.W. Looney

Making Them Hook Up.



- One idea is for the early soup to quickly evaporate into a condensed soup– so the monomers can join up.
- Another idea, is to find an energy producing reaction that promotes polymerization.
 - Energy currency in life now is ATP (adenosine triphosphate), which is an adenine base, a ribose sugar, and a tail of 3 phosphates. The phosphates bonds are broken to provide energy and allow bonding.
 - Too complicated for early life, but there are other similar molecules that could do a similar job. Maybe produced in a Miller-Urey procedure?



<http://www.physics.uc.edu/~hanson/ASTRO/LECTURENOTES/ET/Earth2/PrimordialSoup2.jpg>

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Hooking up Dirty



- Another possibility for polymerization is in clay soils.
- Clay has layers of silicates and water.
- Add water, the layers expand and amino acids can move between layers.
- Remove water, the layers contract and the amino acids get absorbed onto the clay surfaces. Sort of like dust grains in space.
- Experiments have shown that certain clays, promote polymerization of 50 or more amino acids chains with high efficiency.
- Add water, and the polymers are released.
- Think of the ocean tides fueling the polymerization.

Oct 6, 2004


Astronomy 230 Fall 2004

L.W. Looney

So... And RNA/DNA?



- There are a few ways that amino acids can hook-up and form polymers, but nucleic acids are more difficult to understand as they are more complex.
- What is the basic monomer of RNA or DNA?
- Remember the building blocks are:
 - Sugars
 - Phosphates
 - Bases
- So, one of each is a nucleotide



Oct 6, 2004


Astronomy 230 Fall 2004

L.W. Looney

Nucleoside Synthesis



- Not well understood.
- Can number the carbon atoms in the ribose sugar.
- It is essential that the base attach at the number 1 carbon only. Otherwise, it is not a nucleoside.
- The base can attach at the 2 or 3 carbon.
- Why was bond 1 preferred on the early Earth?



Oct 6, 2004



Astronomy 230 Fall 2004

L.W. Looney

Phosphate Issues



- To make a nucleotide, the phosphates must then attach at the 3 and 5 carbons.
- In the lab, the phosphates tend to attach to the 2 and 5 carbons.
- This causes a misalignment, which prevents long strands.



Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Nucleotide Synthesis



- Nucleotide synthesis is not very efficient
- Heating ribose sugar with some purine bases can produce a few nucleotides, and salt can produce a better yield.
- So, again, maybe an evaporating pool with geothermal energy.
- But nucleotides with pyrimidine bases are more difficult.
- Some have argued for catalyst with metal ions can work.
- So, some ionized metals in the pool too?



<http://www.themonkees.com/quizzes18.htm>

Oct 6, 2004

Astronomy 230 Fall 2004

Summary



- Polymerization of amino acids on the early Earth is plausible.
- Synthesis of nucleic acids seems to be much harder.
- Perhaps proteins from amino acid polymers played a role? Chicken came first?
- It is still more difficult, because life requires useful polymers. The order of the monomers determines the properties.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Protein Probability



- Seems easiest to produce a protein, so what is the chance of getting a useful protein with the proper order of amino acids from chance?
- Toss of a coin. 50/50 (or $\frac{1}{2}$) chance of heads or tails.
 - If you want 10 heads in a row you can multiply the chance of 1 throw ($\frac{1}{2}$) times 1 throw ($\frac{1}{2}$) times...etc. or $(\frac{1}{2})^{10}$ or 1 time out of 1024 attempts.



<http://cruel.org/kitchen/shrunken.html>

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Probability of Randomly Forming Life?



- The polymer game is more complex with 20 options of amino acids so if random, the chance of getting a single amino acid is $\frac{1}{20}$.
- For a protein with a specific 10 amino acids in order.
 - $(\frac{1}{20})^{10}$ or about $\frac{1}{10^{13}}$ or 1 chance in 10 trillion!!!!



<http://www.citypaper.net/hth/>

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Getting Lucky?



- If we throw enough coins, we will get 10 heads in a row.
- And if there were very large numbers of monomers, then even a very unlikely event can happen.
- Perhaps **time** is the hero of the story?
- But, don't forget a typical protein can have easily more than 200 amino acids. That is a chance of success of $(\frac{1}{20})^{200}$!
- A generous estimate of the number of trials that the early Earth had was about 10^{51} .



<http://member.s.aol.com/LILAUTHOR1/hourglass.jpg>

Oct 6, 2004


Astronomy 230 Fall 2004

L.W. Looney

Pessimistic?



- But, maybe the early Earth only had a few amino acids at first. Then the odds are better for certain proteins.
- But, we require more than just 1 protein to be formed.
- And first life probably needed many proteins as well.



<http://www.physics.brown.edu/Studies/Demo/solids/demos/1a2020.jpg>

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Pessimist?



- Bottom line is that we can not expect life to arise from completely random combinations of molecules to make more complicated molecules.
- Something else must play a role.
- Some proteins might have a preferred assembly.



Oct 6, 2004

Astronomy 230

Life – Gen Eds



1. Precise way to reproduce instruction set (but not perfect)
2. Ability to control chemical reactions via catalysts.
3. A protective enclosure that separates the instructions and the catalysts from the environment. Becomes an individual not just a soup of chemicals
4. Method for acquiring and using energy.
5. Interconnections of the above.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Transition to Life?



- Really the big question.
- How difficult is it for the collection of polymers to become life?
- The last step in chemical evolution is really biological evolution.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Life



- Life is based on cells
 - Protective enclosures formed from lipids
- Cells contain nucleic acids and protein enzymes
 - Instructions and catalysts that allow replication of nucleic acids
- Methods for acquiring energy
 - Most organism now on Earth get energy from the Sun– either directly or indirectly. But that requires pigments.
 - Not sure if pigments were a primary need or if chemical sources of energy were used for early life.



<http://www.internetcash.com/en/images/baby-crying.jpg>

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Transition to Life



- Two general categories
 - Primitive versions of proteins, nucleic acids, and protocells arose independently and combined to form a life form.
 - One of the components was dominant and the first “life” was based on only one polymer, then developed into life as we know it. We call it protolife.
- The statistical arguments made would argue against primitive life and for the protolife option.
 - Two protolife concepts based on nucleic acids or proteins.



<http://www.perantivirus.com/so/svirus/graficos/bilgates.jpg>

Oct 6, 2004

Astronomy 230 Fall 2004

Protein Protolife?



- Sydney Fox experiment.
- By heating amino acids, droplets of protein formed when added to water– “proteinoids”
- Could have formed on the early Earth with tides.
- Sometimes they will grow and break into daughter spheres
- It is like cell reproduction, BUT there is no replication of nucleic acids ,so not true reproduction.
- Nonetheless, they might be suitable for protocells.



<http://www.biology.iupui.edu/biocourses/N100H/ch19life.html>

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Protocells: Sydney Fox's Experiment



- Sydney argued that they formed a protolife that gradually became life as we know it.
- But how do nucleic acids come into play?
- Sydney argues that one microsphere developed the capability to make its own protein from amino acids, then passed that on to its “offspring”.
- Then, nucleic acids might have been used to store the amino acid information.
- And only later took over– revolt of the bookkeepers!
- Most biologist do not like the idea, as life without nucleic acid is hard to accept.



<http://vcl.ctrl-c.liu.se/vcl/Artists/Juan-Crespo/Sydney-Fox-Lz.jpg>

Oct 6, 2004


Astronomy 230 Fall 2004

L.W. Looney

The RNA World: Protolife



- The other camp believes that the transition to life was dominated by nucleic acids.
- This has clearly the opposite problems of the Sydney Fox scenario.
- These genes are naked!
- A ecosystem of self-replicating RNA is nice, but without capability for protein synthesis, they could do little else.
- However, it's the most widely accepted concept due to numerous experiments.



<http://www.bizspacebiotechnology.com/rna1.htm>

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

RNA World



- The idea is that RNA is mutating away—eventually one RNA develops an enzyme function.
- This evolves to fill many of the niches that today's enzymes perform.
- At some point, the RNA encode and produce proteins through amino acid encoding, using one of the RNA enzyme functions.
- This would make better enzymes that would replace the RNA versions.
- Is this possible?

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

RNA World Experiments



- Virus RNA is added to a test tube with replicase (an enzyme that catalyzes the synthesis of a complementary RNA molecule from an RNA template) and some activated nucleosides.
- The RNA was replicated without cell mechanisms.
- In one experiment, no RNA was added, and still RNA was produced.
- In fact, a number of variants were produced.
- The variant that replicated the fastest might win out.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Genetic Code and Origin of Translation



- One of the essential aspects of life is the synergistic interaction between proteins and nucleic acids.
- Chicken and egg problem still?
- If protein-like polymers of amino acids formed, they would have to polymerize the nucleotides.
- Then the resulting nucleic acid would have to direct the synthesis of more protein, leading to more of the nucleic acid. Etc.
- Or in some RNA world ribozymes began to construct the proteins— the favored view.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Neither Chicken nor Egg?



- While RNA world is favored, the difficulty is still in producing the nucleic acids on the early Earth.
- Freeman Dyson had argued that nucleic acid can not have been the first information carrying molecule.
- Transition between living and non-living requires a balance between order-preserving replication and error in replication.
- If too precise, nothing evolves.
- If too many errors, nothing consistent forms.
- He argues that RNA is not the easiest to start with, perhaps there were other polymers that preceded nucleic acids.



http://www.antivegan.de/kochkurs/chicken-wings/chicken_egg2.jpg

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Alternatives: Clay



- Although the RNA world idea is widely accepted, there are issues concerning the the prebiotic chemistry.
- Clay based genetic systems.
 - Layers of impurities in clay can produce patterns.
 - The layers can separate, settle elsewhere, and grow.
 - The patterns are not perfectly copied.
- Would not have been a big deal, BUT clays can capture and help polymerize amino acids.
- Maybe there was clay based life?
- Eventually the proteins make nucleic acids, which then provides a parallel genetic system that disregards the clay.
- Bottom line is that the step from molecules to life is so great that we are far from understanding it.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney

Exotic Life



- We have spent a long time with Earth Chauvinism, but what if ET life is very different?
- If other options are possible then that will give a more optimistic value of f_l .
- As we just discussed, there are options for life based on other molecules than amino acids, some have been shown to sort of work in the lab.

Oct 6, 2004

Astronomy 230 Fall 2004

L.W. Looney