

Astronomy 230



This class (Lecture 12):

Origin of Life

Gregory Frazier
Alexander Waite

Next Class:

Life in the Solar System

Danielle Campanella
Bryan White

HW 5 is due Thursday

Midterm Next Thursday!

Music: Life Begins at the Hop – XTC

Oct 2, 2007

Astronomy 330 Fall 2007

HW #3



- **Sean White:** <http://www.astro-tom.com>
- **Mark Trennert:** <http://www.eyepod.org>
- **Lindsay Ellch:** <http://www.aliensexistence.com>

Oct 2, 2007

Astronomy 330 Fall 2007

Presentations



- **Gregory Frazier:** Privileged Planet
- **Alexander Waite:** Life in our Solar System

Oct 2, 2007

Astronomy 330 Fall 2007

Outline



- Making polymers ain't easy.
- Transition to Life
- The RNA World: Protolife

Oct 2, 2007

Astronomy 330 Fall 2007

Drake Equation



Frank Drake

That's 2.7 Life-like systems/year



$$N = R_* \times f_p \times n_e \times f_l \times f_i \times f_c \times L$$

# of advanced civilizations we can contact in our Galaxy today	Star formation rate	Fraction of stars with planets	# of Earthlike planets per system	Fraction on which life arises	Fraction that evolve intelligence	Fraction that communicate	Lifetime of advanced civilizations
	15 stars/yr	0.5 systems/star	$2.7 \times 0.134 = 0.36$ planets/system	life/planet	intel./life	comm./intel.	yrs/comm.

Oct 2, 2007

Astronomy 330 Fall 2007

Other places



- Maybe if we require (still not sure) a strongly reducing environment, we have to look elsewhere.
 - Area around undersea hot vents, some of which have CH_4 , NH_3 , and other energy-rich molecules like hydrogen sulfide.
 - Interstellar space.

<http://www.noaanews.noaa.gov/magazine/stories/mag114.htm>
<http://www.chl.chalmers.se/~numa/photo/keyhole-small.jpg>



Oct 2, 2007




Astronomy 330 Fall 2007


The Underwater Vents



- Miles below the ocean surface, life lives on the edge! Places were sunlight never reaches.
- From regions of volcanic spreading of the floor, hydrothermal vents or black smokers, underwater geysers, spew mineral-rich superheated water.
- No plant life, but life thrives. So what does life live on?



Oct 2, 2007



Astronomy 330 Fall 2007

The Underwater Vents



- Chemical reactions or chemosynthesis to produce food instead of the Sun.
- Some life is bacteria, some eat the bacteria, some eat those that eat the bacteria, and some have bacteria inside them in a symbiotic relationship.
- <http://www.xenon.com/ventsmovie.htm>



Oct 2, 2007

Astronomy 330 Fall 2007

The Hot Origins Theory



- Vents are examples of a food chain that does not rely ultimately on photosynthesis.
- Demonstrates that pre-biotic synthesis can occur, but did life begin there?
- And current vents are short-lived– a few decades.
- And hot– if synthesis first occurred there, it might have been quickly destroyed.



<http://www.xenon.com/vents.html>



Astronomy 330 Fall 2007

The Hot Origins Theory



- But life is common in hot environments
 - Hot Springs (like in Yellowstone)
 - Hot oil reservoirs up to 2 miles underground.
- Many of those organism display old genetic characteristics, but some say not ancient enough.
- Did life start somewhere cushy and move there?



Oct 2, 2007



Astronomy 330 Fall 2007


Not your Parent's ET-- Extremophiles



- These are microbes that live in the most extreme places on Earth.
- Temperature extremes
 - boiling or freezing, 100°C to -1°C (212F to 30F)
- Chemical extremes
 - vinegar or ammonia (<5 pH or >9 pH)
 - highly salty, up to ten times sea water
- They are exciting, as they are the most likely candidate for extraterrestrial life.
- Probably dominated life on early Earth until fairly recently.

Oct 2, 2007

Astronomy 330 Fall 2007





Hydrothermal vent




Tubeworms




Lake Vostok - Antarctica




Hot springs



Thermophilic bacteria



Antarctic dry valley



Cryptoendoliths

Astronomy 330 Fall 2007

Interstellar Space



- Another reducing atmosphere is space and the circumstellar disk from which our solar system formed.
- We have seen complex molecules in space.
- The ices would have been destroyed this close to the Sun, but farther out would have been fine.
- Comets could transport the molecular binding dust grains back to the Earth.



<http://stardust.jpl.nasa.gov/science/images/pach7.jpg>


Oct 2, 2007

Astronomy 330 Fall 2007

Comets



- Have similarities to interstellar ices
- Comets hit the Earth, and did so much more often in the past.
- About 5% of comets are carbonaceous chondrites, which contain about 1-2% of their mass in organic compounds, including amino acids of non-biological origins (e.g. the Murchison meteorite).
- Can life get transported?
- Panspermia again.



<http://stardust.jpl.nasa.gov/science/images/num2.jpg>

Oct 2, 2007

Astronomy 330 Fall 2007

So?



- We don't know the origin of the monomers that are needed for life.
- But, there are a variety of processes that could produce them.
 - In Earth's early atmosphere
 - Near hydrothermal vents
 - In interstellar space
- The next step is polymerization



<http://origins.jpl.nasa.gov/habitable-planets/images/ra6-early-earth-th.jpg>

Oct 2, 2007

Astronomy 330 Fall 2007

Synthesis of Polymers



- If we assume that the early monomers for proteins and nucleic acids existed on the early Earth, then is it plausible that they would polymerize?
- The standard idea of the prebiotic soup would suggest that it is easy to form polymers, but not so fast.
- The problem is that the separate monomers are a lower energy state. They like to be separate.
- It's an uphill battle for the early monomers to turn into polymers.



<http://www.heartson3.com/Images%202000/Uphill.jpg>

Oct 2, 2007

Astronomy 330 Fall 2007

Polymer Pressure



- Hmm.. Does this mean that the key polymers that keep us alive are intrinsically unstable?
- Yes. Sort of kinda.
- We are constantly inputting energy into the system– our body.
- A simple pattern: simple components + energy leads to greater complexity
- But for early life, the problem was for polymers to stay together, even water wanted to pull them apart.



<http://www.thanhniennews.com/society/?catid=3&newsid=6557>

Oct 2, 2007

Astronomy 330 Fall 2007

Making Them Hook Up.



- One idea is for the early soup to quickly evaporate into a condensed soup– so the monomers can join up.
- Another idea, is to find an energy producing reaction that promotes polymerization.
 - Energy currency in life now is ATP (adenosine triphosphate), which is an adenine base, a ribose sugar, and a tail of 3 phosphates. The phosphates bonds are broken to provide energy and allow bonding.
 - Too complicated for early life, but there are other similar molecules that could do a similar job. Maybe produced in a Miller-Urey procedure?



[http://www.physics.uc.edu/~hanson/ASTRO/LECTURENOTES/ET/Earth2/PrimordialSou
p2.jpg](http://www.physics.uc.edu/~hanson/ASTRO/LECTURENOTES/ET/Earth2/PrimordialSoup2.jpg)

Oct 2, 2007

Astronomy 330 Fall 2007

Hooking up Dirty?



- Polymerization in clay soils?
- Clay has layers of silicates and water.
- Add water, the layers expand and amino acids can move between layers.
- Remove water, the layers contract and the amino acids get absorbed onto the clay surfaces.



http://www.clw.csiro.au/education/soils/images/clay_soil.jpg

Oct 2, 2007

Astronomy 330 Fall 2007

Totally Tidal



- Experiments have shown that certain clays, promote polymerization of 50 or more amino acids chains with high efficiency.
- Add water, and the polymers are released.
- Think of the ocean tides fueling the polymerization.




Oct 2, 2007

Astronomy 330 Fall 2007

So... And RNA/DNA?




- There are a few ways that amino acids can hook-up and form polymers, but nucleic acids are more difficult to understand as they are more complex.
- What is the basic monomer of RNA or DNA?
- Remember the building blocks are:
 - Sugars
 - Phosphates
 - Bases



Synthesis?





- Not well understood.
- Can number the carbon atoms in the ribose sugar.
 - It is essential that the base attach at the number 1 carbon only. Otherwise, it is not a nucleoside.
 - The base could attach at the 2 or 3 carbon too.
 - Why was bond 1 preferred on the early Earth?



Phosphate Issues



- And the phosphates **must** then attach at the 3 and 5 carbons.
- In the lab, the phosphates tend to attach to the 2 and 5 carbons.
- This causes a misalignment, which prevents long stands – warped.



Nucleotide Synthesis



- Nucleotide synthesis is not very efficient
- Heating ribose sugar with some purine bases can produce a few nucleotides, and salt can produce a better yield.
- So, again, maybe an evaporating pool with geothermal energy.
- But nucleotides with pyrimidine bases are more difficult.
- Some have argued for catalyst with metal ions can work.
- So, some ionized metals in the pool too?



Protein Probability



- Seems easiest to produce a protein, so what is the chance of getting a useful protein with the proper order of amino acids from chance?
- Toss of a coin. 50/50 (or $\frac{1}{2}$) chance of heads or tails.
 - If you want 10 heads in a row you can multiply the chance of 1 throw ($\frac{1}{2}$) times 1 throw ($\frac{1}{2}$) times...etc. or $(\frac{1}{2})^{10}$ or 1 time out of 1024 attempts.



<http://cruel.org/kitchen/shrunken.html>


Oct 2, 2007

Astronomy 330 Fall 2007

Probability of Randomly Forming Life?



- The polymer game is more complex with 20 options of amino acids so if random, the chance of getting a single amino acid is $\frac{1}{20}$.
- For a protein with a specific 10 amino acids in order.
 - $(\frac{1}{20})^{10}$ or about $\frac{1}{10^{13}}$ or 1 chance in 10 trillion!!!!



<http://www.citypaper.net/hth/>

Latest studies: A third of Americans are overweight, and an additional quarter are obese.

Oct 2, 2007

Astronomy 330 Fall 2007

Getting Lucky?



- If we throw enough coins, we will get 10 heads in a row.
- And if there were very large numbers of monomers, then even a very unlikely event can happen.
- Perhaps **time** is the hero of the story?
- But, don't forget a typical protein can have easily more than 200 amino acids. That is a chance of success of $(\frac{1}{20})^{200}$!



<http://members.aol.com/LILAUTHORI/hourglass.jpg>

Oct 2, 2007

Astronomy 330 Fall 2007

Pessimistic?



- A generous estimate of the number of trials that the early Earth had was about 10^{51} .
- But, maybe the early Earth only had a few amino acids at first. Then the odds are better for certain proteins.
- But, we require more than just 1 protein to be formed.
- And first life probably needed many proteins as well.



<http://www.physics.brown.edu/Studies/Demo/solids/demos/1a2020.jpg>

Oct 2, 2007

Astronomy 330 Fall 2007

Pessimist?



- Bottom line is that we can not expect life to arise from completely random combinations of molecules to make more complicated molecules.
- Something else must play a role.
- Some proteins might have a preferred assembly.



Oct 2, 2007

Astronomy 330

Poly Summary



- Polymerization of amino acids on the early Earth is plausible.
- Synthesis of nucleic acids seems to be much harder.
- Perhaps proteins from amino acid polymers played a role? Chicken came first?
- It is still more difficult, because life requires useful polymers. The order of the monomers determines the properties.

Oct 2, 2007

Astronomy 330 Fall 2007

Life – Gen Eds



1. Precise way to reproduce instruction set (but not perfect)
2. Ability to control chemical reactions via catalysts.
3. A protective enclosure that separates the instructions and the catalysts from the environment. Becomes an individual not just a soup of chemicals
4. Method for acquiring and using energy.
5. Interconnections of the above.


Oct 2, 2007

Astronomy 330 Fall 2007

Life



- Life is based on cells
 - Protective enclosures formed from lipids
- Cells contain nucleic acids and protein enzymes
 - Instructions and catalysts that allow replication of nucleic acids
- Methods for acquiring energy
 - **Most** organism now on Earth get energy from the Sun– either directly or indirectly. But that requires pigments (e.g. chlorophyll).
 - Not sure if pigments are a primary need or if chemical sources of energy were used for early life.



<http://www.internetcash.com/en/imagenes/baby-crying.jpg>

Oct 2, 2007

Astronomy 330 Fall 2007

Transition to Life



- **Two possibilities**

- Primitive versions of proteins, nucleic acids, and protocells arose independently and combined to form a life form.
- One of the components was dominant and the first “life” was based on only one polymer, then developed into life as we know it. We can call it protolife.

- The statistical arguments would argue **against** primitive life and **for** protolife.



http://www.lbl.gov/Science-Articles/Archive/sb/july-2004/2_spinach.html

Oct 2, 2007

Astronomy 330 Fall 2007

Transition to Life?



- Really the big question.
- How difficult is it for the collection of polymers to become life?
- The last step in chemical evolution is really biological evolution.

Oct 2, 2007

Astronomy 330 Fall 2007

Protolife



If we assume that early life must have been protolife, then

- Two protolife concepts based on nucleic acids or proteins.
1. Protein life
 2. RNA life



<http://www.perantivirus.com/sovirus/graficos/bilgates.jpg>


Oct 2, 2007

Astronomy 330 Fall 2007

1. Protein Protolife



- Sydney Fox heated amino acids, droplets of protein formed when added to water– “proteinoids”
- Could have formed on the early Earth with tides.
- Sometimes they will grow and break into daughter spheres
- It is like cell reproduction, BUT there is no replication of nucleic acids, so not true reproduction.
- Nonetheless, they might be suitable for protocells.



Oct 2, 2007

Astronomy 330 Fall 2007

<http://www.biology.iupui.edu/biocourses/N100H/ch19life.html>

1. Protocells



- If so, how do nucleic acids come into play?
- Perhaps one proteinoid developed the capability to make its own protein from amino acids, then passed that on to its “offspring”.
- Then, nucleic acids might have been used to store the amino acid information.
- And only later took over– revolt of the bookkeepers!
- Most biologist do not like the idea, as life without nucleic acid is hard to accept.




<http://vel.ctrl-c.liu.se/vel/Artists/Juan-Crespo/Sydney-Fox-Lz.jpg>

2. The RNA World: Protolife



- The other camp believes that the transition to life was dominated by nucleic acids; the opposite problems of the Sydney Fox scenario.
- **These genes are naked!**
- A ecosystem of self-replicating RNA is nice, but without capability for protein synthesis, they could do little else.
- However, it’s the most widely accepted concept due to numerous experiments.



<http://www.bizspacebiotechnology.com/rna1.htm>

2. RNA World



- The idea is that RNA is mutating away– eventually one RNA develops an enzyme function.
- This evolves to fill many of the niches that today’s enzymes perform.
- At some point, the RNA encode and produce proteins through amino acid encoding, using one of the RNA enzyme functions.
- This would make better enzymes that would replace the RNA versions.
- Is this possible?

2. RNA World: Experiments



- Virus RNA is added to a test tube with replicase (an enzyme that catalyzes the synthesis of a complementary RNA molecule from an RNA template) and some activated nucleosides.
- The RNA was replicated without cell mechanisms.
- In one experiment, no RNA was added, and still RNA was produced.
- In fact, a number of variants were produced.
- The variant that replicated the fastest might win out.

Genetic Code and Origin of Translation



- One of the essential aspects of life is the synergistic interaction between proteins and nucleic acids. Still the Chicken and egg problem.
- If protein-like polymers of amino acids formed, they would have to polymerize (create) the nucleotides.
 - The resulting nucleic acid would have to direct the synthesis of more protein, leading to more of the nucleic acid. Etc.
- Or in some RNA world ribozymes (RNA enzymes) began to construct the proteins– the favored view.

Oct 2, 2007

Astronomy 330 Fall 2007

Neither Chicken nor Egg?



- While RNA world is favored, the difficulty is still in producing the nucleic acids on the early Earth.
- Freeman Dyson had argued that nucleic acid can not have been the first information carrying molecule.



http://www.antivegan.de/kochkurs/chicken-wings/chicken_egg2.jpg


Oct 2, 2007

Astronomy 330 Fall 2007

Neither Chicken nor Egg?



- Transition between living and non-living requires a balance between order-preserving replication and error in replication.
- If too precise, nothing evolves.
- If too many errors, nothing consistent forms.
- He argues that RNA is not the easiest to start with, perhaps there were other polymers that preceded nucleic acids.



<http://www.dartmouth.edu/~llc/archive/sponsored/dyson.html>

Oct 2, 2007

Astronomy 330 Fall 2007

Interesting Question #11



Imagine that we receive our first ET visitor, but their stomachs do not agree with Earth food. Why might this be true?

- a) They actually eat humans, but are too polite to destroy our race.
- b) As we are farther out in the Galaxy, our food has less iron.
- c) ETs will probably be allergic to water, and our food is mostly water.
- d) Chirality: they are right handed life.
- e) None of the above.

Oct 2, 2007

Astronomy 330 Fall 2007

Alternatives: Clay



- Although the RNA world idea is widely accepted, there are issues concerning the prebiotic chemistry.
- Clay based genetic systems.
 - Layers of impurities in clay can produce patterns.
 - The layers can separate, settle elsewhere, and grow.
 - The patterns are not perfectly copied.




Oct 2, 2007

Astronomy 330 Fall 2007

Alternatives: Clay



- Would not have been a big deal, BUT clays can capture and help polymerize amino acids.
- Maybe there was clay based life?
- Eventually the proteins make nucleic acids, which then provides a parallel genetic system that disregards the clay.
- Bottom line is that the step from molecules to life is so great that we are far from understanding it.



Oct 2, 2007

Astronomy 330 Fall 2007

Exotic Life



- We have spent a long time with Earth Chauvinism, but ET life would be very different?
Probably very alien!
- If other options are possible, then that gives a more optimistic value of f_l .
- As we just discussed, there are options for life based on other molecules than amino acids, some have been shown to sort of work in the lab.



Oct 2, 2007

Astronomy 330 Fall 2007

<http://www.itg.uiuc.edu/people/mcdowell/puppet-gallery/>