

Astronomy 330



This class (Lecture 15):

Life in the Solar System

Next Class:

HW 6

Biological Evolution

Timothy Noffke

Se Hee Jang

Music: *Bird Dream Of The Olympus Mons*—Pixies


Oct 16, 2007

Astronomy 330 Fall 2007

Midterm



- Highest scores ever..
- Average = 93.4
- Median = 94.8



Oct 16, 2007

Astronomy 330 Fall 2007

HW #3



- **Emmanuel Arredondo:**
http://www.ufoarea.com/lloyd_dropa.html
- **Margaret Gelman:**
<http://www.alienabductions.com/company/soon>
- **Tyler Natoli:**
<http://www.christiananswers.net/q-eden/edn-c012.html>

Oct 16, 2007

Astronomy 330 Fall 2007

Outline



- Life in our Solar System?
 - Jupiter (Europa)
 - Saturn (Titan)


Oct 16, 2007

Astronomy 330 Fall 2007

Life in the Solar System




- Venus may have life in the clouds.
- Mars might still have life under the soil.
- But what about the outer solar system?
- It isn't in our definition of the habitable zone, but it still is interesting.
- We will now focus on Jupiter, Io, Europa, and Titan.



Oct 16, 2007


Big Boy?



Oct 16, 2007

Astronomy 330 Fall 2007

Bigger Boy



Oct 16, 2007

Astronomy 330 Fall 2007

Earth – Jupiter comparison

Biggest and most massive planet, has the largest gravity, has the largest number of moons (>63), yet has the shortest day in Solar System. Radiates more energy than it absorbs.

Radius	11.2 Earth
Cloud-top gravity	2.5 Earth
Mass	318 Earth
	(more than 2.5 times the rest combined)
Distance from Sun	5.2 AU
Year	11.88 Earth years
Solar day	9 hours 55 minutes
	Causes a bulge at the equator.

Jupiter, King of the Planets



- Named for the king of the Roman gods
- A truly immense planet
 - Over 11 times the diameter of Earth
 - Over 300 times the mass of Earth
 - Over twice the mass of all the other planets combined!
 - Has over 63 moons, its own mini-solar system!
- Visited by 4 spacecraft
 - Pioneer 11 - Flyby in 1979
 - Voyagers 1 & 2 - Flybys in 1980 & 1981
 - Galileo - Went into orbit and dropped a probe into Jupiter's atmosphere, 1990-2003

Oct 16, 2007

Astronomy 330 Fall 2007



Jupiter's Atmosphere



- Although mostly gas, by 20,000 km in, the pressure is 3 million atmospheres!
- Due to an internal heat source, the temperature rises as one penetrates the atmosphere.
- The outer atmosphere is made of freezing clouds of ammonia, methane, and ice.
- The swirling patterns are evidence of great storms.





Can you say Miller-Urey?

Oct 16, 2007

Astronomy 330 Fall 2007

The Galileo Spacecraft (1989 – 2003)



First atmospheric probe

How the main antenna *should* have looked



Oct 16, 2007

Probing the Atmosphere



- The probe lasted for 57 minutes before it was destroyed by temperature and pressure.
- Found a lot of turbulence, strong winds (330 mph), very little water ice, and no lightning.



Oct 16, 2007

Astronomy 330 Fall 2007

Probing the Atmosphere



- Did not encounter the layers of clouds that was expected.
- The probe entered the least cloudy region of Jupiter.
- Did not rule out life, but did not support it.
- Later, the spacecraft [Galileo](#) was crashed into Jupiter.



Oct 16, 2007

Astronomy 330 Fall 2007

What Did Galileo Experience?



- An atmosphere unlike Earth's
 - 92% Hydrogen, 8% Helium, 0.1% other stuff
 - **Very similar to the Sun's composition**
 - Not too far from a binary star system
 - Rich chemistry
 - Ammonia, methane, other hydrocarbons, water, phosphine, etc..
- 400 mph winds
- Incredible pressures
- Increasing temperatures with depth

Oct 16, 2007

Astronomy 330 Fall 2007

Driving Jupiter's Weather



- On Earth, solar heating drives weather
- On Jupiter, internal heat drives weather
 - Winds maintain speeds to great depths
 - Jupiter **radiates 70% more heat** than it receives from the Sun
 - The heat is from Jupiter contracting under its own powerful gravity
 - As it contracts, the gas is squeezed, and the temperature increases




Oct 16, 2007

Astronomy 330 Fall 2007


The Great Red Spot



- A huge storm 25,000 km across – twice size of the Earth!
- First observed > 300 years ago!



Voyager 1 image




Cassini images

Oct 16, 2007

Astronomy 330 Fall 2007

Little Red Spot



Oct 16, 2007


Astronomy 330 Fall 2007

Jupiter's Atmosphere



- The atmosphere resembles the conditions of the Miller-Urey experiment.
- The red bands and spots may be biological molecules.
 - The Miller-Urey experiment produces amino acids and **red polymers**.
 - Carl Sagan suggested that the atmosphere might be an optical photochemistry, like photosynthesis but more effective. Not much evidence for such a statement.
- But, constant churning of the atmosphere probably makes development of complex life nearly impossible.

Icy ammonia (light blue)
discovered by Galileo




Oct 16, 2007

Astronomy 330 Fall 2007

Life?



- Carl Sagan and Edwin Salpeter devised a scheme for life in the clouds of Jupiter.
- They argued that the atmosphere must be rich in organic chemistry, so why not expect Earth-like life?



http://tierra.rediris.es/merge/Carl_Sagan/192a.jpg

http://www.aip.org/history/esva/catalog/images/salpeter_edwin_a3.jpg

Oct 16, 2007

Astronomy 330 Fall 2007

Floating Life



- The problem is that any life in the clouds that sank too far down would be destroyed by the temperature or pressure.
- They proposed a simple life form like oceanic plankton called "sinkers".
- Small (0.1 cm) life that grew and fell, but then replicated by "splitting-up" and getting circulated back into the upper atmosphere.



<http://www.wackerbaits.com/sf/media/bellsinker.jpg>

<http://www.mantapacific.org/mantapacific/information/images/plankton.jpg>


Oct 16, 2007

Astronomy 330 Fall 2007

Floating Life



- The sinkers became the basis of a proposed ecology.
- They also posited “floaters”—large hydrogen balloon-like life that “swim” in the Jovian atmosphere.
- They could be huge creatures, as large as 1 to 2 km in diameter.



<http://www.firaxis.com/smac/nativelife.cfm>

Oct 16, 2007

Astronomy 330 Fall 2007

Floating Life



- Maybe similar to whales—mixture between jellyfish and birds?
- Big bags of hydrogen gas.
- Maybe there are also “hunters” that fed on the floaters?
- Of course, this is all speculative, and there is no way to detect such life.
- Science fiction from scientists really.



<http://www.epilogue.net/cgi/database/art/list.pl?gallery=3126>


Oct 16, 2007

Astronomy 330 Fall 2007

Jupiter's Interior



- Average density only 30% greater than water
- 25% that of the Earth's average density
- By 20,000 km, the pressure is 3 million times that on the Earth's surface!
 - Hydrogen becomes a liquid metal
- Core of rock & “ice” 10-12 Earth masses




Oct 16, 2007

Astronomy 330 Fall 2007

Jupiter's Magnetosphere



- Liquid metal hydrogen generates a magnetic field
 - 14x stronger than Earth's field
 - Over 4 million km across
- A ring of ionized particles surrounds Jupiter
 - Stripped from Jupiter's moon Io



J. Spencer


Oct 16, 2007

Astronomy 330 Fall 2007

Jupiter's Rings



- Jupiter has rings!
- Discovered by the Voyagers
- Not prominent like Saturn's
- Dusty disk of debris, probably from meteoroid impacts with small moons




Oct 16, 2007

Astronomy 330 Fall 2007

The Galilean Moons



- Io is active.
- Europa is now thought to be the best option for life.
- But, Ganymede and Callisto are contenders perhaps for ancient life.




Oct 16, 2007

Astronomy 330 Fall 2007

Io




- Innermost Galilean moon – the “pizza moon”
- The most volcanically active body in the solar system.
- Voyager 1 discovered presence of volcanoes
- Internal heating by Jupiter's tides
- Atmospheric gases ripped off by Jupiter's magnetic field – ion torus



Pillan Patera eruption
Before & after

Oct 16, 2007




Astronomy 330 Fall 2007

Europa



- Slightly smaller than our Moon.
- Icy crust 5 km thick. Can protect life against magnetic fields.
- Evidence for deep (50 km!) liquid water ocean beneath crust—remains liquid from tidal forces from Jupiter
- Cracks and fissures on surface – upwelling?




Oct 16, 2007

Astronomy 330 Fall 2007

Galileo

Europa



- Young surface – few craters
- Tidal forces pull and push the ice
 - Like Io, it probably has strong tidal forces.


Oct 16, 2007

Astronomy 330 Fall 2007

Europa



- Life would have to be below the surface, around hydrothermal vents.
- Very encouraging, as early life on Earth, might have been formed around such vents.
- We don't know how thick the ice is yet.
- Future missions, will have to employ smash and dive spacecraft.



Oct 16, 2007

Astronomy 330 Fall 2007

Ganymede



- Largest of the Galilean Moons
- Partly ancient surface, partly younger surface
 - Younger surfaces about the age of the Moon's maria
- Compared to our Moon:
 - 50% larger
 - 100% more massive
 - 40% less dense
- Interior more differentiated than Callisto, probably has an iron core



Oct 16, 2007

Astronomy 330 Fall 2007

Callisto




- Furthest of the Galilean Moons from Jupiter
- Ancient surface, covered with craters
- Compared to our Moon:
 - 40% larger
 - 50% more massive
 - 45% less dense
- Surface is made of "dirty ice"
- Interior is rocky, mixed with ice



Oct 16, 2007

Astronomy 330 Fall 2007


Earth – Saturn comparison



It floats. The least spherical planet.

Equatorial radius	9.45 Earth
Cloud-top gravity	1.07 Earth
Mass	95.2 Earth
Distance from Sun	9.53 AU
Year	29.5 Earth years
Solar day (equator)	10 hours 14 minutes

Jupiter-Saturn Comparison



Equatorial radius	0.84 Jupiter
Mass	0.30 Jupiter
Density	0.52 Jupiter

Almost as big as Jupiter, but
Much less massive!

Saturn


- Named for the father of the Roman gods
- Saturn is very similar to Jupiter
 - Large planet
 - Mostly liquid hydrogen
 - Has a mini-solar system
 - At least 60 moons
 - Most are small



<http://www.solarviews.com/cap/sat/saturn.htm>
<http://saturn.jpl.nasa.gov/cgi-bin/gs2.cgi?path=/multimedia/images/saturn/images/PIA05380.jpg&type=image>

Missions to Saturn

- There have been 4 unmanned spacecraft missions to Saturn
- Pioneer 11
 - Flyby 1979
- Voyager 1
 - Flyby 1980
- Voyager 2
 - Flyby 1981
- Cassini-Huygens
 - Arrived 2004



The Cassini Mission



- Launched on October 15th, 1997
- Arrived at Saturn on July 1st, 2004
- Will orbit Saturn for 4 years, making flybys of the planet, its rings, and some of its moons
- Contains 12 scientific instruments
- Also carries the Huygens probe, which was dropped onto Titan, Saturn's largest moon on Jan 2005. Remember?

Oct 16, 2007

Astronomy 330 Fall 2007

Saturn's Atmosphere



- Composition similar to Jupiter
 - Mostly hydrogen and helium
- Atmosphere more "spread out"
 - Less gravity
 - Contrast of cloud bands reduced
- Wind speeds fastest at the equator
 - 1000 km per hour!




Oct 16, 2007

Astronomy 330 Fall 2007

Driving Saturn's Weather



- As on Jupiter, Saturn's internal heat drives weather
 - Saturn radiates 80% more heat than it receives from the Sun
 - Like Jupiter, Saturn is still contracting!
 - As it contracts, heat is produced
- As on Jupiter, storms are produced between cloud bands
 - No long lasting storm like the Great Red Spot, but hexagon cloud at pole has been stable for 20+ years.




Oct 16, 2007

Astronomy 330 Fall 2007

Saturn's Interior



- Similar structure to Jupiter's
 - But Saturn is less massive
 - The interior is less compressed
- Liquid metallic hydrogen creates a magnetic field
 - 30% weaker than Earth's




Oct 16, 2007

Astronomy 330 Fall 2007

Saturn's Rings



- Two main rings
 - Several fainter rings
 - Each ring is divided into *ringlets*
- The rings are **thin**
 - Only a few tens of meters thick– razor thin!




Oct 16, 2007

Astronomy 330 Fall 2007

Makeup of the Rings



- The rings of Saturn are **not** solid rings
 - Made of icy rocks
 - 1cm to 10m across
- New Cassini data shows ring particle size varies with distance from Saturn
 - Note the gap is filled with small particles



Oct 16, 2007

Astronomy 330 Fall 2007

Saturn's Moons



- Saturn has a large number of moons
 - At least 60
- Only Titan is comparable to Jupiter's Galilean moons
- Smaller moons are mostly ice, some rock




Oct 16, 2007

Astronomy 330 Fall 2007

Saturn's Odd Moons

- **Mimas** - Crater two-thirds its own radius
- **Enceladus** - Fresh ice surface, water volcanoes?
- **Hyperion** – Irregularly shaped
- **Iapetus** - Half its surface is 10x darker than the other half
- **Phoebe** - Orbits Saturn backwards




Oct 16, 2007

Astronomy 330 Fall 2007


Titan



- Saturn's largest moon— bigger than Mercury.
- 2nd largest moon in the solar system after Ganymede.
- Discovered in 1655 by Christiaan Huygens
- Only moon to have a dense atmosphere
 - Dense nitrogen/methane atmosphere
 - Small greenhouse effect
 - 85% nitrogen
 - Much like ancient Earth!



Titan's atmosphere




Oct 16, 2007

Astronomy 330 Fall 2007


Titan



- Atmospheric pressure is 1.5 times Earth's
- Liquid/ice hydrocarbons?
- Organic compounds – life?
 - Probably not – too cold: 95 K
 - May be a “deep freeze” of the chemical composition of ancient Earth



Titan's atmosphere




Oct 16, 2007

Astronomy 330 Fall 2007

Piercing the Smog



- Cassini has special infrared cameras to see through Titan's smog
- Green areas are water ice
- Yellow-orange areas are hydrocarbon ice
- White area is a methane cloud over the south pole




Oct 16, 2007

Astronomy 330 Fall 2007

Cassini-Huygens



Cassini VIMS Titan Top Base Map and Huygens DISR Image Coverage
(Estimated DISR MRI Camera Panorama Footprint)





Arrival at Saturn

July 1, 2004



Huygens Probe descent to Titan

Jan 14, 2005



Oct 16, 2007





Mapping Titan





Oct 16, 2007

Astronomy 330 Fall 2007

Mapping Titan




Mapping Titan



<http://esamultimedia.esa.int/multimedia/esc/esaspacecast001.mp4>

Astronomy 330 Fall 2007

Liquid Sea? Possible liquid methane



Oct 16, 2007


Astronomy 330 Fall 2007

<http://antwrp.gsfc.nasa.gov/apod/ap070530.html>

Titan




- N_2 came from ammonia (NH_3) – common in outer solar system
- Second most abundant component is methane (natural gas)
 - One option is UV + methane $\rightarrow$ hydrocarbons (e.g., ethane)
 - Then, ethane condenses and rains down on Titan's surface



Titan



- So, it might have liquid ethane or methane lakes/oceans?
- Many organic compounds should be in atmosphere– reducing atmosphere.
- If life exists here, then it will change our water–chauvinistic ideas.



Conclusion



- ***No conclusive evidence exists for life in our solar system besides on Earth***
- But, possibilities exist for life
 - Mars may have some microbial history linked to water, and perhaps some subsurface life.
 - Europa's sub-crustal oceans may harbor life, even fish-like life.
 - Titan is still very interesting
 - Thick atmosphere
 - Reducing chemistry

No Intelligent Life



- We might find evidence of some sort of life in the next decade, but very unlikely to find complexity needed for intelligent and communicative life.
- Apparently in our system, Earth's conditions are necessary.
- Other planets may have microbial forms of life, and maybe complex fish-like organisms, but we don't expect communicative beings.

How to search for life?



- How do we search for life in our Solar System and beyond?
- What test will indicate life exclusively?
- Remember the Viking problems on Mars.
 - Need flexibility to test interpretations.
- But, it is difficult to anticipate fully the planet conditions.


Oct 16, 2007

Astronomy 330 Fall 2007

How to search for life?



- It is apparent that future missions need to land as near as possible to sites of subsurface water or other solvents.
- On Titan, what are the important tests for determining biological signatures of non-water life?
- What if the life is still in the protolife stage? Can we detect that?
- The boundary between chemical and biological processes is difficult to distinguish.



Decision Trees– Search for Life



- Wait for it to come to us via meteorites or comets.
- Robotic one-way investigations– Mars rovers.
- Fetch and return with samples.



<http://www.ibiblio.org/wm/paint/auth/friedrich/tree.jpg>

Oct 16, 2007

Problems



- In the last 2 cases, we have the problem of contamination by Earth life.
- Organisms can live in Mars-like conditions on Earth.
- If some Earth life survives the space journey, it could colonize Mars, possibly destroy any Martian life. Think of Kudzu.
- Current missions must be sterilized.



<http://www.hope.edu/academic/biology/faculty/evans/images/Angiosperms/CoreEudicots/Eurosids1/Fabaceae/Kudzu.JPG>

Oct 16, 2007

Astronomy 330 Fall 2007

Interesting Question #15



Which of the following places in our Solar System has the least likelihood for life?

- a) The sub-surface of Mars.
- b) The sub-surface of Io.
- c) The surface of Titan.
- d) The atmosphere of Venus.
- e) The sub-surface of Europa.