

Astronomy 230

TR 1300-1420

134 Astronomy Building



This class (Lecture 9):

Planets of Life

Rogelio Cruz

Tyler Natoli

Next Class:

Nature of Life

Mark Trennert

Joseph Krischon

HW 3 is due

Sept 20, 2006

Astronomy 330 Fall 2007

Presentations



- **Rogelio Cruz**– [Origin of Live on Earth](#)
- **Tyler Natoli** – [Wormholes](#)

Sept 18, 2006

Astronomy 330 Fall 2007

Outline



- What is n_p ?
- The effects of the star on life.
- What is Life today?
- What is a protein?
- What is an amino acid?


Sept 20, 2006

Astronomy 330 Fall 2007



Optimism?


- Carl Sagan argues for $n_p > 3$.
 - If Venus had less clouds (less greenhouse) it could have been cool enough for life.
 - If Mars had a thicker atmosphere it could have been warm enough for life.
 - If solvents other than water were used, maybe the moons of the outer planets?
 - Giant Jupiter-like planets close in?



<http://www.uranos.eu.org/biogr/sagane.html>
<http://spider.ipac.caltech.edu/staff/jarrett/sagan/sagan.html>

Sept 18, 2006

Astronomy 330 Fall 2007





Pessimism?



- We only considered temperature. What about:
 - Gravity?
 - Atmospheric pressure?
 - Size of the moon or planet?
 - Does life need a Moon-like moon? Does life need the tides? Does the Moon protect the Earth's rotation? Is a Jupiter needed?
- If we impose Earth chauvinism, we can easily reduce to $n_p \sim 0.1$



Sept 18, 2006

Astronomy 330 Fall 2007 http://sagiru.tripod.com/Travel/Lost_in_the_Sahara/lost_in_the_sahara

n_p : number of life planets per planetary system (average)



- Can range from 0.01 to >3 .
 - Is seismic activity necessary to recycle bioelements?
 - How important is the first atmosphere? Ozone?
 - Is a moon needed? A large Jupiter-like planet?
 - Is liquid water a requirement? Other solvents okay?
 - Not too hot, not too cold; not too much pressure, not too little– Goldilocks requirement?
 - Habitable Zone around the star.
 - Galactic Habitable Zone
 - Does atmosphere need feedback mechanism?
 - But in our solar system, maybe 5 nearly possible life planets.

Sept 18, 2006

Astronomy 330 Fall 2007

$$n_e = n_p \times f_s$$



n_p : number of planets suitable for life per planetary system

f_s : fraction of stars whose properties are suitable for life to develop on one of its planets

We can list 5 situations that will have an effect on f_s .



Sept 18, 2006


Astronomy 330 Fall 2007

<http://nike.cecs.csulb.edu/~kjlivio/Wallpapers/Planet%2001.jpg>

Differences of Stars to Life



1. **Metal rich stars.** Stars with heavy elements, probably more likely to have planets. Suggested in the current planet searches. About 90% of all stars have metals.




Sept 18, 2006

Differences of Stars to Life



- 2. **Main sequence stars.** Need the brightness to stay as constant as possible. Otherwise the temperature changes dramatically on the planets. This is 99% of all stars.



Differences of Stars to Life




- 3. **Length of time on the main sequence.** We need temperature stability for 5 billion years to get intelligence on Earth. This rules out stars more massive than 1.25 solar masses! 90% of all stars are less massive than that.
- 4. **Minimum mass of star.** If ice exists close to the star, that would imply the formation of Jupiter-like planets not Earth-like planets. And, any life bearing planet would have to be closer to the star— and closer to stellar effects (e.g. tidal locking and more flares from low mass stars). That limits us to a minimum of 0.5 solar masses. 25% of all stars are more massive than that.


Differences of Stars to Life



- 5. **Binarity.** Planets may form. But they may have odd orbits unless the 2 stars are far enough apart or the planet orbits the pair. Only 30% of all stars are single stars. 50% of all stars are single stars or wide binary stars.



<http://spaceflightnow.com/news/n0210/11planet/>



Adding it all up



Stellar Requirement	Mass Limit	Fraction OK	Cumulative Fraction
✓ Heavy Elements	...	0.9	0.9
✓ Main Sequence	...	0.99	0.891
Main Sequence Lifetime	$M < 1.25 M_{\text{sun}}$	0.90	
Synchronous Rotation/ Flares	$M > 0.5 M_{\text{Sun}}$	0.25	
✓ Not a Binary	...	0.30	0.267
Wide Binary Separation	...	0.50	

Adding it all up



<i>Stellar Requirement</i>	<i>Mass Limit</i>	<i>Fraction OK</i>	<i>Cumulative Fraction</i>
✓ Heavy Elements	...	0.9	
✓ Main Sequence	...	0.99	
✓ Main Sequence Lifetime	$M < 1.25 M_{\text{sun}}$	0.90	
✓ Synchronous Rotation/ Flares	$M > 0.5 M_{\text{Sun}}$	0.25	
✓ Not a Binary	...	0.30	
Wide Binary Separation	...	0.50	

Sept 18, 2006

Astronomy 330 Fall 2007

Adding it all up



<i>Stellar Requirement</i>	<i>Mass Limit</i>	<i>Fraction OK</i>	<i>Cumulative Fraction</i>
✓ Heavy Elements	...	0.9	
✓ Main Sequence	...	0.99	
✓ Main Sequence Lifetime	$M < 1.25 M_{\text{sun}}$	0.90	
✓ Synchronous Rotation/ Flares	$M > 0.5 M_{\text{Sun}}$	0.25	
Not a Binary	...	0.30	
✓ Wide Binary Separation	...	0.50	

Sept 18, 2006

Astronomy 330 Fall 2007

f_s



- Can range from 0.06 to 0.2.
- Let's vote!
- In this class, let's assume a value $f_s = ?$

Then, we can estimate n_e

$$n_e = n_p \times f_s = ? \times ? = ?$$

Sept 18, 2006

Astronomy 330 Fall 2007

f_s : fraction of stars that life can exist around



<i>Stellar Requirement</i>	<i>Mass Limit</i>	<i>Fraction OK</i>	<i>Cumulative Fraction</i>
Heavy Elements	...	0.9	
Main Sequence	...	0.99	
Main Sequence Lifetime	$M < 1.25 M_{\text{sun}}$	0.90	
Synchronous Rotation/ Flares	$M > 0.5 M_{\text{Sun}}$	0.25	
Not a Binary	...	0.30	
Wide Binary Separation	...	0.50	

Value can range from ~ 0.06 to ?

Sept 18, 2006

Astronomy 330 Fall 2007

Drake Equation



Frank Drake

That's ? Life-liking systems/year



$$N = R_* \times f_p \times n_e \times f_l \times f_i \times f_c \times L$$

# of advanced civilizations we can contact in our Galaxy today	Star formation rate	Fraction of stars with planets	# of Earthlike planets per system	Fraction on which life arises	Fraction that evolve intelligence	Fraction that communicate	Lifetime of advanced civilizations
	15 stars/yr	0.7 systems/star	? planets/system	life/planet	intel./life	comm./intel.	yrs/comm.

Sept 20, 2006

Astronomy 330 Fall 2007

So Far, We have Studied



- The Universe
 - Big Bang
 - Creation of hydrogen, helium...
 - Galaxy formation
 - Swirls of elements embedded in self-gravitating cloud of dark matter
 - Star birth
 - Energy generation and element production in self-gravitating mass of gas
 - Planets
 - Ice, rock, gas surrounding stars form planetesimals, then planets


Sept 20, 2006

Astronomy 330 Fall 2007

Life on Earth



- Time to examine terrestrial evolution.
- Need to understand what is needed for life to arise.
- Again, some Earth chauvinism.
- Relies on chemical evolution
- Eventually life began?



<http://www.accessexcellence.org/bioforum/bf02/awramik/bf02a1.html>

Sept 20, 2006

Astronomy 330 Fall 2007

Life on Earth



- In our scientific approach, we look at life as a result of chemical evolution of complexity.
- We will view the formation of "life" on planets as we did star formation
 - A natural consequence of natural laws
 - More specifically, as a consequence of the complex chemistry that is sometimes achieved.



<http://www.toothpastefordinner.com/052802/science-only-happens.gif>

Sept 20, 2006

Astronomy 330 Fall 2007

Cosmic Imperative?





- But is life a cosmic imperative?
- Just like gas forms galaxies, and in galaxies stars and planets form, do chemicals on some planets form molecules that lead to life?

Sept 20, 2006

Astronomy 330 Fall 2007

All Made from the Same Stuff



Sept 20, 2006

Astronomy 330 Fall 2007

Element Basis of Life



- About 95% of the mass of all terrestrial organisms is composed of only 4 out of 90 elements
 - **H**ydrogen (61% in humans)
 - **O**xygen (26% in humans)
 - **N**itrogen (2.4% in humans)
 - **C**arbon (10.5% in humans)
- **HONC** is essential to life, and it's common in space.

Sept 20, 2006

Astronomy 330 Fall 2007

Trace Elements



In addition to HONC, there are some other elements that are essential for life but in *smaller* amounts:

- Sulfur, magnesium, chlorine, potassium, sodium
 - These other elements make up about 1% of mass of living organisms
 - Exist in roughly the same concentration in organisms as in ocean water
 - Highly suggestive that life began in oceans
 - Furthermore suggests that the evolutionary processes occurred on Earth. Panspermia problems?




Sept 20, 2006

<http://www.maastrichtuniversity.nl/~astronomy/330/Fall/2007/pages/oceans-006.jpg>

Good News



- H,O,N,C is very common in universe; everywhere as far as we can tell
 - If life were based totally on rare elements, we might expect its occurrence to be extremely rare...
- So, we expect ET life to be based primarily on HONC.
 - The four primary chemical elements of life with some other simple components can produce staggering complexity.
- But, each planet will feature its own environment of trace elements giving each planet's life a unique twist to the standard HONC chemistry



Sept 20, 2006

<http://www.rarebeatles.com/album/twistandshout.htm>

Astronomy 330 Fall 2007

Nature's Complexity



- The workings of biological molecules are an [absolute marvel](#)
 - How did this complexity develop?
 - How did it evolve?
- As complex and mysterious as life on Earth may be, we can begin understand it
- Start with the basics:
 - Why are H,O,N,C the basis for living organisms?
 - How do the molecules formed by these (and other elements) work to make DNA, proteins, life?



http://europa.eu.int/comm/environment/life/toolbox/logo_life_high_resolution_2.jpg

Sept 20, 2006

Astronomy 330 Fall 2007

We Are Special Stuff?



- Why is Earth life based on H,O,N,C instead of the more abundant elements found on Earth?
 - Suggests that the formation of life is not able to be formed just out of anything lying around.
 - The selection of H,O,N,C seems to be a [necessity](#) of the chemistry of life.
 - In general, Earth life is a carbon based life. Carbon is the main backbone of the chemistry.
- Is this good news?


Sept 20, 2006

Astronomy 330 Fall 2007

Why Carbon Based Life?



- Carbon's electronic structure allows it to form long chains
 - Chains of atoms and chains of molecules– complexity
 - Life needs bonds to be stable but breakable
- Good for us, at temperatures at which water is liquid, carbon bonds are stable but breakable
- Organic chemistry is the special branch devoted to carbon chemistry.



<http://www.biology.arizona.edu/biochemistry/tutorials/chemistry/page2.html>


Sept 20, 2006

Astronomy 330 Fall 2007

Bond, Carbon Bond




- Carbon has 6 protons, 6 neutrons, and 6 electrons
 - Electrons distribute themselves in “shells”
 - Pauli exclusion principle
 - 1st (inner-most) shell wants to be filled by 2 electrons
 - 2nd shell wants to be filled with 8 electrons
 - BUT, Carbon only has 6 electrons!
 - So, Carbon has 2 electrons in inner shell and 4 in 2nd shell
 - It likes to bond: to “fill” second shell by sharing with four other electrons



Sept 20, 2006

Astronomy 330 Fall 2007

The Simplest C Bond—Methane






Not many other elements can share 4 bonds. Silicon, which is much more abundant, can. Silicon based life?

<http://www.biology.arizona.edu/biochemistry/tutorials/chemistry/page2.html>

Sept 20, 2006

Astronomy 330 Fall 2007

More Bonds




<http://www.colossusblog.com/mt/archives/images/dmo5.jpg>

Sept 20, 2006

Astronomy 330 Fall 2007

Bonding Variation



Sept 20, 2006

Astronomy 330 Fall 2007

Unique?



- As far as we know, the complexity of terrestrial biochemistry can only be achieved with carbon-based molecules.
 - Especially considering the need for liquid water
 - Which puts restrictions on the temperature in which the chemical reactions occur

Sept 20, 2006

Astronomy 330 Fall 2007

Nitrogen



- Actually plays a central role in organic chemistry.
- It is prominent in biological compounds due to its reactivity with carbon and its propensity to form chains in organic compounds

Sept 20, 2006

Astronomy 330 Fall 2007


Molecular Basis of All Life



- Great diversity of Life on Earth, but still it is 70% water and 24% four large molecules:
 - Proteins
 - Nucleic Acids
 - Lipids
 - Carbohydrates
- Not completely true. The simplest life, viruses, can have a single molecule of nucleic acid surrounded by a protein coating.

Sept 20, 2006

Astronomy 330 Fall 2007



Lipids and Carbohydrates



- Lipids are almost entirely composed of carbon and hydrogen with some oxygen.
- The group of fats, oils, waxes, etc.— hydrophobic
- Lipids are essential for cell membranes.

- Carbohydrates are comprised of sugar molecule chains.
- Carbohydrates are used for energy storage in cells.
- In this class, we will concentrate on **proteins** and **nucleic acids** as the crucial bits for life.
- That's enough for viruses, and probably protolife was similar?

Sept 20, 2006

Astronomy 330 Fall 2007

Monomers and Polymers



- All of the fundamental chemicals of life are organic polymers
 - A monomer is a small molecule (like carbon bonds we have seen).
 - A polymer is a number of monomers joined together to form larger, more complex molecules.
 - Polymers are nice for life, as they can form complex and repetitive sequences

Sept 20, 2006

Astronomy 330 Fall 2007

Proteins & Nucleic Acids



- Proteins are either structural elements or provide catalytic reactions (enzymes).
- Nucleic acids carry the genetic information– Replication of nucleic acid is crucial to reproduction of organism.
- They are the polymers of life!
- Can form complex, repetitive sequences.
- The order of the monomers determines the function of the polymers.
- Monomers are the letters and words in the molecular basis of life, and polymers are the messages.

Sept 20, 2006

Astronomy 330 Fall 2007

How is Life Put Together?



- Living things are not just bags of large molecules and polymers mixed in a big soup
 - Living things have structure
 - Plants, animals have different parts
 - Skin, Hair, Leaves, Hearts, etc.

How do these structures relate to the complex organic polymers and DNA?

Sept 20, 2006

Astronomy 330 Fall 2007

DNA Based Life



- All life is based on DNA. What does this mean?
 - The basic reproducible unit of all living organisms is centered around the complex DNA molecule.
 - DNA lives in cells
 - Except in viruses, which are basically pure DNA
 - Cells of different types form different parts of each organism
 - Heart cells different from blood cells.
 - Leaf cells different from root cells.

Sept 20, 2006

Astronomy 330 Fall 2007

Cell Bits




- The cell function directly relates to a different organic polymer:
 - Proteins: Polymers of amino acid monomers that form the structural components of the cell or form enzymes that do all the real chemical work inside the cell.
 - DNA: The genetic coding molecules that controls enzyme and cell reproduction. Polymers of a sugar, phosphate, and nucleotides monomers.
 - Sugars: The energy source of cells

Bacteria Cells




- Simplest cell that exists today.
- Completely self-contained organism.
- Human cells are much more complicated.
- 1 trillion cells in a typical human and they're usually 10 microns in diameter.



Viruses




- Straddles between the living and non-living
- The protein protects the virus until it enters a living cell, where the nucleic acid is released.
- Using the cell's machinery, the nucleic acid reproduces itself.
- They are all parasites, so thought to be from free-living organisms and not descendents of early life.



Focus on Proteins




- Proteins are large, very complex, and very numerous.
- All proteins in living organisms are made from combinations of 20 types of amino acids (about 100 available though).
- Example: Proteins are made up of 100s to 1000s of those 20 amino acids, with a particular sequence and shape.
 - This gives 20^{100+} possible combinations
 - How many 100 character sequence can you form from the alphabet?
- BUT, only about 10,000 proteins are used.
- Note, the human body is about 20% protein.



General Protein Types



Type	Examples
• Structural	tendons, cartilage, hair, nails
• Contractile	muscles
• Transport	hemoglobin
• Storage	milk
• Hormonal	insulin, growth hormone
• Enzyme	catalyzes reactions in cells
• Protection	immune response



<http://66.41.139.241:8000/fitam/muscle.JPG>

Sept 20, 2006

Astronomy 330 Fall 2007

Protein Desert



- The fact that only 10,000 of the billions+ of proteins are used, suggests that life is a little picky.
- Only certain combinations seem to work?
- Does this mean that ET life would find the same useful permutations as Earth life found?
 - Many options were available
 - But, only a small fraction actually worked?



Sept 20, 2006

Astronomy 330 Fall 2007

A Type of Protein: Enzymes



- All of the day-to-day work of life is being done by enzymes. Enzymes are little chemical-reaction machines.
- The purpose of an enzyme is to allow the cell to carry out chemical reactions very quickly.
- These reactions allow the cell to build things or take things apart as needed—grow and reproduce.




Sept 20, 2006

Astronomy 330 Fall 2007

A Type of Protein: Enzymes



- E. coli has about 1,000 different types of enzymes floating around in it at any given time.
- To understand enzymes is to understand cells. To understand cells is to understand life on Earth.
- Maybe similar to life in space?
- Enzymes are made from 3-D structures of amino acids orchestrated by the DNA.



Sept 20, 2006

Astronomy 330 Fall 2007

<http://res2.agr.ca/lethbridge/emia/images/SEMproj/Ecoli.jpg>