

Astronomy 330



This class (Lecture 12):
Life in the Solar System

Next Class (Thursday):
Life in the Solar System
Se-Joon Chung
Nicholas Langhammer

**HW 5 is due next Tuesday
(special date)**

Music: *We Are All Made of Stars*– Moby

HW 2



- Jeremy Morton
<http://www.thetruthbehindthescenes.org/2011/09/15/denver-international-airport-alien-connection-decoded/>
- Alison Melko
<http://www.ufoabduction.com>

Take Home Midterm



- Will email it to everyone after class Thursday.
 - 50%: 4 short (few paragraphs) essays
 - 50%: 1 larger (~1-2 page) essay (with definition terms)
- Must be typed, not handwritten.
- Will cover material up to and including Thursday.
- It is a closed notes exam (honor system!).
- You can make 1 page of notes for use during the exam.

Outline



- Ne is broken into 2 terms
- How Earth got Mooned
- Early Earth

Drake Equation

That's 16 planetary systems/year

Frank Drake



$$N = R_* \times f_p \times n_e \times f_l \times f_i \times f_c \times L$$

# of advanced civilizations we can contact in our Galaxy today	Star formation rate	Fraction of stars with planets	# of Earthlike planets per system	Fraction on which life arises	Fraction that evolve intelligence	Fraction that communicate	Lifetime of advanced civilizations
20 stars/yr	0.8 systems/star	planets/system	life/planet	intel./life	comm./intel.	yrs/comm.	

n_e



Complex term, so let's break it into two terms:


- n_p : number of planets suitable for life per planetary system
- f_s : fraction of stars whose properties are suitable for life to develop on one of its planets

<http://mike.cecs.csulb.edu/~kjlivio/Wallpapers/Planets%2001.jpg>

$$n_e = n_p \times f_s$$



Kepler's Estimate




The Kepler team estimated that at least 5.4% of all stars host Earth-like planets and that at least 34% of all stars have planets.

Others using the Kepler data estimated 1.4 to 2.7% of all Sun-like stars are expected to have earth-like planets within the habitable zones of their stars-- or two billion Earths in the Milky Way! But, do we need Earths for life?

Our Solar System



Terrestrial planets and Gas Giants... but how many are valid planets/moons for n_p ?



Earth-Moon Comparison



Radius	6378 km	Radius	0.272 Earth
Surface gravity	9.8 m/s ²	Surface gravity	0.17 Earth
Mass	6.0x10 ²⁴ kg	Mass	0.012 Earth
Distance to Sun	1.5x10 ⁸ km	Distance to Earth	384,000 km
Year	365.2422 days	Orbital Period	27.3 days
Solar day	1 day	Solar day	27.3 days

Formation of the Earth



- Earth formed from planetesimals in the circumstellar disk.
- Was hot and melted together.
- The biggest peculiarity, compared to the other planets, is the large moon.



A Double World

Why a “double world”?

- Most moons are tiny compared to the planet
 - The Moon is over 25% the diameter of Earth
 - Jupiter's biggest moons are about 3% the size of the planet
- The Moon is comparable to the terrestrial planets
 - About 70% the size of Mercury
 - Nearly the same density as Mars



The Moon

The Moon's surface is barren and dead


- No water, no air, some water ice.
- No life!!
- Well, mostly dead.



The Moon: Mostly Dead



- Well, mostly dead.
- Recent results show some new (50 million years new) regions (called graben) that are free of cratering.
- So interior may still have significant molten component



Formation of the Moon: Smack



- Collision of Earth with a Mars-sized body early in the solar system's history
- Iron-rich core of the impactor sank within Earth
- Earth's rotation sped up
- Remaining ejecta thrown into orbit, coalesced into the Moon



• <http://www.youtube.com/watch?v=ibV4MdN5wo0&feature=related>

Why is this a good hypothesis?



- The Earth has a large iron core (differentiation), but the moon does not.
 - The debris blown out of collision came from the rocky mantles
 - The iron core of the impactor merged with the iron core of Earth
- Compare density of 5.5 g/cm^3 to 3.3 g/cm^3 — the moon lacks iron.




http://www.flatrock.org.nz/topics/odds_and_oddities/assets/extreme_iron.jpg

Moon Impact on Life?



- Some think that our large Moon is very important for life on Earth.
 - Tides! Important to move water in and out of pools.
 - Stable Axial Tilt: 23.5 deg offset from the collision
 - Metals! Heavy elements at Earth's surface may be from core of impactor.




http://www.michaelbach.de/ot/sze_moon/index.html

Moon: Impact Implications




- **Hot, Hot, Hot!** Even if the moon theory is incorrect, other smaller bodies were playing havoc on the surface.
- When they impact, they release kinetic energy and gravitational potential.
- In addition, some of the decaying radioactive elements heated up the Earth– stored supernova energy!
- The planetesimals melt, and the Earth went through a period of differentiation.



<http://www.udel.edu/Biology/Wags/wagart/worldpage/impact.gif>


Planetary Differentiation



Differentiation: Iron Catastrophe



- Average density of Earth is 5.5 g/cm^3
- Average density on the surface is 3 g/cm^3
- So, something heavy must be inside
- When the Earth formed it was molten
 - Heavy materials (e.g. iron, nickel, gold) sank
 - Lighter materials (e.g. silicon, oxygen) floated to the top



Early Earth



- No atmosphere
- No water
- High temp
- No life.....
- Big rocks keep falling on my head...



<http://www.black-cat-studios.com/catalog/earth.html>

Question




Which of the following does NOT well describe the early Earth?

- a) So hot that the surface had molten rock.
- b) There was no water.
- c) The surface kept getting hit by really, really big rocks.
- d) The oxygen rich atmosphere caused quick oxidation (rusting) of iron-rich rocks
- e) No chance of life at this stage.

Structure



- Luckily, not all of the iron sank to the center, else we would be still in the Stone Age.
- Temperature increases as you go deeper underground. From around 290 K on surface to nearly 5000 K at center.
 - Heated by radioactive decay
 - Supernovae remnants
- Earth's magnetic field is established early on.. after the iron catastrophe... good for life.



The Crust




- Outside layer of the Earth (includes oceans) floats on top of still hot interior
 - About 50 km thick
 - Coldest layer – rocks are rigid
- Mostly silicate rocks
 - Made of lighter elements like silicon, oxygen, and aluminum
- Oxygen and water are abundant
- Excellent insulator
 - Keeps the Earth's geothermal heat inside!



Today's Earth Surface



- 70% of the Earth's surface is covered with water
 - Ocean basins
 - Sea floors are young, none more than 200 million years old
- 30% is dry land – Continents
 - Mixture of young rocks and old rocks
 - Up to 4.2 billion years old



Geologically Active Surface



- The young rocks on the Earth's surface indicate it is geologically active
- Where do these rocks come from?
 - Volcanoes
 - Rift valleys
 - Oceanic ridges
- Air, water erode rocks
- **The surface is constantly changing**



Recycling Bio-elements



- From gravity and radioactivity, the core stays hot.
- This allows a persisting circulation of bioelements through continental drift— melting of the crust and re-release through volcanoes.
- Otherwise, certain elements might get locked into sediment layers— e.g. early sea life.
- Maybe planets being formed now, with less supernovae, would not have enough radioactivity to support continental drifts and volcanoes.




<http://www.pahala-hawaii.com/j-page/image/activevolcano.jpg>

The Earth's 1st Atmosphere



- The inner disk had most gases blown away and the proto-Earth was not massive enough to capture these gases.
- Any impacts (e.g. the moon), would have blown any residual atmosphere away.
- The first atmosphere was probably H and He, which was lost quickly.



<http://www.udel.edu/Biology/Wags/wagart/worldpage/impact.gif>

The Earth's 1st Atmosphere



- The interior heat of the Earth helped with the Earth's early atmosphere.
- Volcanoes released gases (water vapor and CO₂)
- Another scenario is that impacted comets released – water (H₂O), carbon dioxide (CO₂), and Nitrogen (N₂) – the first true atmosphere.
- The water condensed to form the oceans and much of the CO₂ was dissolved in the oceans and incorporated into sediments— such as calcium carbonate (CaCO₃).



<http://www.fli-cam.com/images/comet-liner.jpg>

Our Atmosphere



- Rocks with ages greater than **2 billion** years show that there was little or no oxygen in the Earth's atmosphere.
- The current composition: 78% nitrogen, 21% oxygen, and trace amounts of water, carbon dioxide, etc.
- Where did the oxygen come from?
- Cyanobacteria made it.
 - Life on Earth modifies the Earth's atmosphere.




<http://www.uweb.ucsb.edu/~rix/fury/conclusion.htm>

This New Planet



- Mostly oceans and some solid land (all volcanic).
- Frequent impacts of remaining planetesimals (ending about 3.8 billion years ago).
- Impacts would have sterilized the young Earth– Mass extinctions and maybe vaporized any oceans (more comets?).




<http://www.agnld.uni-potsdam.de/~frank/Images/painting.gif>

This New Planet



- Impacts and volcanic activity created the continental landmasses.
- Little oxygen means no ozone layer– flooded with ultraviolet light on surface.
- Along with lightning, radioactivity, and geothermal heat, provided energy for chemical reactions.
- **BUT, life on the surface not possible!**



Question



The Earth's first atmosphere was

- a) much like today's atmosphere, but older.
- b) Trick Question. There was no atmosphere.
- c) likely just H and He, and blown away quickly.
- d) made from comets.
- e) a combination of volcano gases and comet collisions.




Water



- Water is a key to life on Earth.
- Primary constituent of life– “Ugly bags of mostly water”
 - Life is about 90% water by mass.
- http://www.youtube.com/watch?v=LA1qp0_a0tE



Water




- Primary role as a solvent
 - Dissolves molecules to bring nutrients and remove wastes. Allows molecules to “move” freely in solution.
 - Must be in liquid form, requiring adequate pressure and certain range of temperatures.
- This sets a requirement on planets, if we assume that all life requires water.
- Does it?

Water as a Solvent




- The water molecule is “polar”. The oxygen atoms have more build-up of negative charge than the hydrogen. This allows water molecules to link up, attracted to each other.
- In this way, water attracts other molecules, surrounds them and effectively dissolves them into solution.



Example: Dissolving Table Salt




The partial charges of the water molecule are attracted to the Na^+ and Cl^- ions. The water molecules work their way into the crystal structure and between the individual ions, surrounding them and slowly dissolving the salt.



Water: Our Liquid Friend



- A very good temperature buffer
 - Absorbs significant heat before its temperature changes
 - When it vaporizes, it takes heat with it, cooling its original location
- It floats.
 - Good property for life in water.
 - Otherwise, a lake would freeze bottom up, killing life.
 - By floating to the surface, it can insulate the water somewhat.



Keeping it Useful: Atmosphere



- Need to have enough pressure to keep water from boiling away at low temperature
 - Cooking at higher elevation requires more time. Boiling point lowered: water doesn't get as hot.
 - If pressure too low, water goes directly from ice to vapor (like dry ice CO_2)
- On the other hand, high pressure may make life more difficult to form.
- In addition, the range of temperature for Earth based complex life is less than 325K.




<http://whatcookingamerica.net/boilpoint.htm>

Keeping It Warm, but not too Warm




- What controls a planet's temperature?
 - The amount of light received from its star.
 - The amount of energy the planet reflects back.
 - And any Greenhouse effects of the planet.



http://www.solcomhouse.com/Greenhouse_Effect.gif


Greenhouse Explained



Keeping It Warm, but not too Warm



- Earth's greenhouse effect raises the temperature by about 15%.
- Given a star's luminosity, a range of acceptable temperatures translates into a range of distances to the star.
- This range is called the star's habitable zone (HZ), as planets in this range have temperatures suited for life.
- Only a rough guideline.




http://www.solcomhouse.com/Greenhouse_Effect.gif

Habitable Zones— Are you in the Zone?




- Long living star
- Planets with stable orbits (thus stable temps)
- Liquid Water
- Heavy Elements— C, N, O, etc.
- Protection from UV radiation



Galactic Habitable Zone



- Likewise the galaxy has regions that are better suited to life.
- In the inner regions of our galaxy, supernovae are too frequent.
- In the outer regions, there are too few metals.



<http://astronomy.swin.edu.au/GHZ/GHZmovie.html>

Question



The Greenhouse effect

- a) will destroy our planet.
- b) will hopefully stop this crazy winter.
- c) keeps the Earth warmer than it would be otherwise at its distance from the Sun.
- d) is all Man-Made.
- e) keeps the Earth colder than it would be otherwise at its distance from the Sun.

The Sun's Variation



- As the Sun ages, it gets slightly brighter.
- When it was younger, its luminosity was 70% current values.
- A young Earth should have been 20K colder—iceball!
 - During our ice ages, the temperature only changed by about 1%!

<http://www.cherishclaire.com/iceball.htm>



The Sun's Variation



- There is evidence that the Earth did nearly freeze over— 2.8 billion years ago and 700 million years ago.
- Probably changes in the Greenhouse gases.
- This implies that the habitable zone can vary with time, thus the real habitable zone is smaller than shown before?
- Some have postulated that real zone is only 0.95 to 1.01 AU! If the Earth were 1% farther away— Iceballed. And n_p would be very small ~ 0.1 .



<http://www.soest.hawaii.edu/gerard/GG108/images/bylot.jpg>

Earth's Atmosphere: Trapping CO₂ for Fun and Profit



- Most recent studies suggest an efficient planet negative-feedback mechanism (like a thermostat).
 - CO₂ cycles from atmosphere (greenhouse gas) and oceans (buried sediment especially carbonate rock).
 - CO₂ in atmosphere: temporarily dissolved CO₂ in rainfall reacts with weathered rocks, trapping it.



<http://www.wildtech.org/images/feedback.gif>

Earth's Atmosphere: Trapping CO₂ for Fun and Profit



- Negative feedback process
 - Increase in temperature: evaporation of oceans, more rainfall, more weathering and CO₂ reduction, so decrease in temperature.
 - This negative feedback stabilizes the Earth's temperature.



<http://www.wildtech.org/images/feedback.gif>

Life Adds to Feedback




- Life increases the weathering of rock.
- Some have proposed that life also stabilizes the planet temperature.
- Regardless, the negative feedback helps with the habitable zone, so we can estimate perhaps n_p is more around 1—more Earth chauvinism?




Life in the Solar System?



- We want to examine in more detail the backyard of humans.
- What we find may change our estimates of n_e .



Earth – Venus comparison



Venus is the hottest planet, the closest in size to Earth, the closest in distance to Earth, and the planet with the longest day.

Radius	0.95 Earth
Surface gravity	0.91 Earth
Mass	0.81 Earth
Distance from Sun	0.72 AU
Average Temp	475 C
Year	224.7 Earth days
Length of Day	116.8 Earth days
Atmosphere	96% CO ₂

What We Used to Think

Venus must be hotter, as it is closer the Sun, but the cloud cover must reflect back a large amount of the heat.



In 1918, a Swedish chemist and Nobel laureate concluded:

- Everything on Venus is dripping wet.
- Most of the surface is no doubt covered with swamps.
- The constantly uniform climatic conditions result in an entire absence of adaptation to changing exterior conditions.
- Only low forms of life are therefore represented, mostly no doubt, belonging to the vegetable kingdom; and the organisms are nearly of the same kind all over the planet.

Turns Out that Venus is Hell




- The surface is hot enough to melt lead
- There is a runaway greenhouse effect
- There is almost no water
- There is sulfuric acid rain
- Not a place to visit for Spring Break.



Our “Twin”



- Always covered in thick clouds of CO₂, which make it the hottest planet in the Solar System.
- Pressure on surface is 90 times that on Earth– like 1 km under the sea




<http://antwrp.gsfc.nasa.gov/apod/ap960923.html>

Our “Twin”



- Often called the morning star or the evening star. 3rd brightest object in the sky.
- Often mistaken for a UFO.
- Retrograde rotation – Sun rises in west
- No moons, no magnetic field



<http://antwrp.gsfc.nasa.gov/apod/ap960923.html>

Soviet Satellites on Venus



Color as seen on the surface of Venus

Venera 13

Color with atmospheric effects removed



USSR Academy of Sciences / Brown University

Mostly Basalts-like rocks, indicative of volcanoes

The Venusian Surface Revealed


- We can't see Venus' surface in visible light, clouds block the view
- Magellan's Radar showed the surface
- Most of surface is smooth lava flows
- Many large volcanoes
- Probable ongoing volcanism



Surface of Venus: Radar



Venus: surface features



Images of Venus


from radar data collected by the
NASA Magellan Spacecraft

Maxwell Montes (65N 5E)
(Highest mountain range in the solar system
11km high– Everest is 8km)

<http://www.geology.smu.edu/~dpa-www/venus.html>

Impacts on Venus

- Venus has about 1,000 craters, often clustered
- No trace of heavy bombardment
- Cratering rate indicates Venus' surface about 500 million yrs old
- Why?




- Possibility: Extreme temperatures soften rock, making the surface subject to catastrophic volcanic upheaval

Venus' Interior




- Venus' size and density are roughly equal to Earth's
 - Indicates iron core of similar size
- No magnetic field
 - Very slow rotation - 243 Earth days



Runaway Greenhouse



- On Earth, greenhouse gasses insulate us
 - Keep Earth 35 K warmer than it would be otherwise
- On Venus, massive amounts of CO₂ keep it incredibly hot
 - Almost 300 K warmer!
 - The hottest planet in the Solar System



What Happened to Venus?



- It really should have been more like Earth, but the atmosphere is much different.
- Earth's atmosphere is mostly O₂ from life, but early Earth was N.
- Earth and Venus have similar amounts of carbon & nitrogen, but...




<http://www.digitalart.ab.ca/art/ren/images/birth-of-venus.jpg>

Why So Different?



- Earth's carbon is locked up
 - Dissolved in the oceans
 - Locked into rocks and life
- Venus' carbon is in its atmosphere
 - Too close to the Sun for liquid water
 - No oceans to trap the carbon dioxide
 - No life to process the carbon into sedimentary rocks



<http://www.edgechaos.com/MECA/WALLART/VR89/venus.jpeg>

What Happened to Venus?



- Apparently Venus lost its H₂O— no oceans and no sediments.
- Probably the atmospheric temperature was hot enough for water to travel high enough to be broken apart by UV radiation, the H was lost and the O reacted with something else.
- Irreversible procedure!
- Which is why greenhouse effect is worrisome here too!
- The Earth traps water vapor in the cool tropopause at 14km.




<http://photos1.blogger.com/blogger/4103/1148/1600/Venus%20Wimbeldon05.jpg>

Life on Venus?




- Surface is far too hot
 - If lead is liquid, think of what heat would do to complex organic polymers
 - No cooler polar regions exist
 - Heat is uniform!
 - But, high in the clouds it should be cooler?!
- Maybe life can still exist in the clouds?
- At 50 km up, the temperature is not too hot and the pressure is 1 atmosphere.



Chemical Disequilibrium



- High clouds in the atmosphere contain chemicals that hint at the presence of some kind of biological activity.
- Hydrogen sulfide and sulfur dioxide - two gases that react with each other— exist in the clouds.
 - So, something may be producing them.
- Hardly any carbon monoxide, which should be there.
 - So something may be removing CO.




http://www.manson-valley.de/fotogalerie/manson/images/acss/acss_32.jpg


Life on Venus?



- One possibility is that microbes living in the clouds could be combining sulfur dioxide with carbon monoxide and possibly hydrogen sulphide or carbonyl sulphide in a metabolism similar to that of some terrestrial micro-organisms (extremophiles).
- Given that the temperature on Venus was once much cooler, there may once have been oceans on the planet. Life could have started there and retreated to stable niches once the runaway greenhouse effect began.
- Maybe a mission to scoop up some atmosphere?



Earth – Mars comparison




Mars has the Solar System's largest Volcano, Olympus Mons – 27 km tall.

Radius	0.53 Earth
Surface gravity	0.38 Earth
Mass	0.11 Earth
Distance from Sun	1.5 AU
Average Temp	-63 C
Max Temp	20 C
Year	687 Earth days
Length of Day	24 hours 39 minutes
Atmosphere	CO ₂ 95%

What we used to think.


- Similar to the Earth in many ways.
- Life was argued to exist on Mars.
- The astronomer Schiaparelli announced that he saw regular linear markings on the surface, which he named canali.
- Technically, in Italian means channels, but it was mistranslated to canals.



Pages from Schiaparelli's observing notebook, 1879

Percival Lowell's Canals

- Evidence for intelligent life?
- Mapped the civilization.
- Influenced culture.




Martian "canals" as mapped by Percival Lowell in the late 1800s.



The Martian Atmosphere



- 95% carbon dioxide
- Atmospheric pressure 0.6% of Earth's – like 40 km altitude on Earth
 - Too thin for significant greenhouse effect.
 - Pressure is too low for liquid water.
- Large daily and seasonal swings in surface temperature
- Not protected by a global magnetosphere like Earth's




DAILY VARIATIONS IN ATMOSPHERIC TEMPERATURE at the Viking 1 landing site (color) are quantitatively similar to those at China Lake, Calif., a desert site (black). In both cases the temperature touches a minimum around sunrise and reaches a peak about 10 hours later. The daily range, however, is about three times greater on Mars than it is on the earth. At Viking site range is 55 degrees, from about 187 to 242 degrees Kelvin (–86 to –31 degrees Celsius). At China Lake range is 18 degrees, from 292 to 310 degrees K. (19 to 37 degrees C).

The Surface of Mars





- Mars is a desert!
- Iron oxide in soil gives reddish cast.



Water on Mars




- There **is** water on Mars
 - North and south polar caps (mostly CO₂)
 - Some water vapor in the air
 - Frost on rocks
 - Clouds (ice crystals)
- No *liquid* water now




Liquid water on Mars?



- Water erosion features visible from space
- Atmospheric pressure too low for liquid water to exist
- Perhaps at some point in the past?




Valley networks



Erosion Features




"Islands"




Flood erosion

New Water?



The Surface of Mars: Opportunity



<http://antwrp.gsfc.nasa.gov/apod/ap040303.html>

Roving on Mars






Roving on Mars:
Spirit and Opportunity
find evidence of ancient
liquid water

http://antwrp.gsfc.nasa.gov/apod/image/0403/emptyest_opportunity_big.jpg

Standing Water on Mars




- The new data from the rovers are highly suggestive of ancient standing water on the Meridiani Planum.
- 3 pieces of evidence:
 - Physical appearance of rocks
 - Rocks with niches where crystals appear to have grown
 - Rocks with sulfates left after the water evaporated
- Is it a former sea floor or just an area that had ground-water?



Mars Missions Now




- Mars Reconnaissance Orbiter
 - Studying the geology and climate of Mars
 - Look for ancient sea shores
 - Survey potential landing sites



Mars Missions Now



- Phoenix
 - Analyze water ice at Mars' north pole




http://www.nasa.gov/mission_pages/phoenix/images/press/PSP_008591_2485_RGB_Lander_Inserts.html

Mars Missions Now





- Phoenix
 - Confirmed water ice on the surface of Mars
 - Sublimates too slowly for dry ice (CO_2)



Mars Missions Now



- Phoenix
 - Blobs on lander legs
 - Blobs merge (Sol 8 & 31)
 - Liquid!
 - Saltwater most likely



<http://www.planetary.org/blog/article/00001890/>

Mars' Watery Past

